Fast delivery Flat Ceiling T Grid Machine hydraulic decoiler machine - Haixing Industrial

With the help of limit switch box, this decoiler can work with roll forming machine synchronized. It greatly save the labors and improved the working efficiency.

| Hydraulic Decoiler machine technical parameters | | |
|---|---------------------------|--------------------|
| 1 | Coil inner diameter | 450mm-650mm |
| 2 | Maximum width of coiling | 1250mm |
| 3 | Maximum weight of loading | 10 tons |
| 4 | Hydraulic power | 5.5kW |
| 5 | Motor power | 4kW |
| 6 | Working speed | 0-15m/minute |
| 7 | Oil pump inner diameter | 120mm |
| 8 | Working press | 10MPa |
| 9 | Voltage | 380V/50Hz, 3 phase |
| 10 | Dimensions | 3.0*1.8*1.9m |

Features:

- 1. Types available: hydraulic decoiler.
- 2. Adapts hydraulic expand/loosen and hydraulic driving system.
- 3. Easy to operate.
- 4. Suitable for pre-painted coil, cold-rolled coil and galvanized coil.

Machine picture display





Our company insists on the service aim: quality first, credit first, we believe that quality is the lifeblood of entering rise, we will supply satisfied products and after-sale service for every client. We always offer relateive technical support, quick response, all your inquire will replied within 24 hours.

Product link : <u>https://www.toprollformingmachine.com/?p=10668</u>