

## Free sample for Slitting Line Machine

Our firm sticks towards the basic principle of "Quality could be the life of your organization, and name may be the soul of it" for Free sample for Slitting Line Machine, Good quality and competitive prices make our products enjoy a high reputation all over the word.

Our firm sticks towards the basic principle of "Quality could be the life of your organization, and name may be the soul of it" for [Bazhou Wanxin Slitting Line](#), [Slitting Line](#), [Used Slitting Line](#), Based on our guiding principle of quality is the key to development, we continually strive to exceed our customers' expectations. As such, we sincerely invite all interested companies to contact us for future cooperation, We welcome old and new customers to hold hands together for exploring and developing; For more information, please feel free to contact us. Thanks. Advanced equipment, strict quality control, customer-orientation service, initiative summary and improvement of defects and extensive industry experience enable us to guarantee more customer satisfaction and reputation which, in return, brings us more orders and benefits. If you are interested in any of our products and solutions, make sure you feel free to contact us. Inquiry or visit to our company are warmly welcome. We sincerely hope to start a win-win and friendly partnership with you. You can see more details in our website.

Slitting machine line cuts the metal coil into strips of various widths required, and then collects the strip into small rolls for use in the next process.


Slitting line machine parameters		
Raw Material (if the material is stainless steel, please tell in advance)	1	Material: carbon steel and others
	2	The thickness of the material: 0.4mm-6mm.
	3	Width: 10mm, 12mm, 15mm, 20mm, 25mm, 30mm, 40mm, 50mm, 60mm
	4	Input width: 600-1600mm
Hydraulic decoiler with car	1	The inner size: 450--610mm
	2	The Max width: 1250mm
	3	The capacity: 15T 20Ton or more
Flatting and Cutting System	1	2 shafts for feeding coil, 9 shafts for flatting
	2	material of flatting: 42CrMo heat treated 50-52.
	3	hydraulic system.
	4	2 sets cutting blade
	5	width of cutting: 600mm--1220mm.
	6	the material of blade mould: Gr12MoV
	7	power: 22KW Motor with ZQ650 Reducer
Slitting system	1	The width range: 200--1300mm
	2	The precious of the width: $\pm 1$ mm
	3	The speed of slitting: 25m/min
	4	The width can be change.
	5	Material of the slitting: Cr12MoV.
	6	Hardness of slitting blade: HRC5860.
	7	Slitting: 2~3mm 6 lines.
	8	Quantity of blades: 10 sets.
	9	Width of side scrap: 3-15mm
	10	The precious of side scrap: $\pm 0.5$ mm
	11	Quantity of side scrap: 2 strips
	12	Power of the slitting: 37KW, 1000r/min, with ZQ750 Reducer.
Control System	1	Screen: 3.2inch button screen
	2	PLC: Delta

Electrical collecting machine with car	1	Material inner: 550-650mm
	2	Max Coil width: 1500mm
	3	Carrying capacity: 5T
	4	Automatic relax or collect
	5	Power: 22KW

## Working process

Decoiler ----flatting and cutting---slitting-----flatting and collecting

## work process



## Machine picture display



---

### **Packaging Details?**

1. Machine is covered by plastic film.

2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link : <https://www.toprollformingmachine.com/?p=107378>