## Factory wholesale Mini Slitter -Steel plate leveling machine - Haixing Industrial

The steel plate leveling machine is mainly used to correct plates of various specifications and cut into pieces. This machine can be used for leveling various cold and hot rolled sheets.

| steel plate leveling machine parameters |                           |                                       |
|---|---------------------------|---------------------------------------|
| 1                                       | Suitable to process       | PPGI, galvanized sheet                |
| 2                                       | Thickness of raw material | Slitting: Max 0.8mmCutting: Max 2.0mm |
| 3                                       | Roller station            | Up: 5 rollersDown: 6 rollers          |
| 4                                       | Voltage                   | 380V, 50HZ, 3Phase                    |
| 5                                       | Main Frame                | 350 H beams                           |
| 6                                       | Side panel thickness      | 40mm                                  |
| 7                                       | Diameter of shaft         | □ 90mm                                |
| 8                                       | Chain size                | 1 inch                                |
| 9                                       | Motor power               | 3 Kw (Siemens)                        |
| 10                                      | PLC                       | Delta/Siemens                         |
| 11                                      | Transmission              | Gear transmission                     |
| 12                                      | Machine size              | 2200*2000*2000mm                      |
| 13                                      | Machine weight            | About 2 tons                          |

Machine photos:



## Terms:

- 1. Delivery: within 60 days after receiving the deposit.
- 2. Package: export standard package for container.
- 3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link: <a href="https://www.toprollformingmachine.com/?p=11102">https://www.toprollformingmachine.com/?p=11102</a>