OEM Factory for Aluminium Rain Gutter Machine - Steel Sheet Hydraulic Uncoiler - Haixing Industrial

| Steel Sheet Hydraulic Uncoiler technical parameters | | |
|---|---------------------------|--------------------|
| 1 | Coil inner diameter | 450mm-650mm |
| 2 | Maximum width of coiling | 1250mm |
| 3 | Maximum weight of loading | 10 tons |
| 4 | Hydraulic power | 5.5kW |
| 5 | Motor power | 4kW |
| 6 | Working speed | 0-15m/minute |
| 7 | Oil pump inner diameter | 120mm |
| 8 | Working press | 10MPa |
| 9 | Voltage | 380V/50Hz, 3 phase |
| 10 | Dimensions | 3.0*1.8*1.9m |

Features:

- 1. Types available: hydraulic decoiler.
- 2. Adapts hydraulic expand/loosen and hydraulic driving system.
- 3. Easy to operate.
- 4. Suitable for pre-painted coil, cold-rolled coil and galvanized coil.

Machine picture display





Our company insists on the service aim: quality first, credit first, we believe that quality is the lifeblood of entering rise, we will supply satisfied products and after-sale service for every client. We always offer relative technical support, quick response, all your inquire will replied within 24 hours.

Company introduction details

Haixing Industrial Group Co., Ltd. is the biggest and strongest in north China. Our factory is specialized in manufacturing color steel forming machinery, C&Z purlin machine, glazed tile forming machine, steel structural floor panel roll forming machine, sandwich panel roll forming machine, highway guardrail forming machine and other cold roll forming machines.



Email: info@haixingsteel.com Wechat: 0086 15522419684

Product link: https://www.toprollformingmachine.com/?p=111895