
Rapid Delivery for Single Arm Fume Extractor - Hydraulic decoiler with car - Haixing Industrial

This decoiler enables automatic loading. The hydraulic decoiler itself cannot automatically feed, and it can be automatically loaded after the car is loaded.

Decoiler technical parameters		
1	Coil inner diameter	450mm-650mm
2	Maximum width of coiling	1250mm
3	Maximum weight of loading	10 tons
4	Hydraulic power	3kW
5	Motor power	3kW
6	Working speed	0-15m/minute
7	Oil pump inner diameter	120mm
8	Working press	10MPa
9	Voltage	380V/50Hz, 3 phase
10	Dimensions	3110x1650x1780mm

Features:

1. Types available: hydraulic decoiler.
2. Adapts hydraulic expand/loosen and hydraulic driving system.
3. Easy to operate.
4. Suitable for pre-painted coil, cold-rolled coil and galvanized coil.

Machine picture display



Packaging Details :

1. Machine is covered by plastic film.
2. Spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit
2. Package: export standard package for container
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery)

Product link : <https://www.toprollformingmachine.com/?p=11313>