## Wholesale OEM/ODM Tile Double Layer Wall Or Roof Panel Ibr Machine


"Quality initially, Honesty as base, Sincere company and mutual profit" is our idea, in order to create repeatedly and pursue the excellence for Wholesale OEM/ODM Tile Double Layer Wall Or Roof Panel Ibr Machine, If you're intrigued within our products, you should truly feel cost-free to ship us your inquiry. We sincerely hope to establish win-win business interactions along with you. "Quality initially, Honesty as base, Sincere company and mutual profit" is our idea, in order to create repeatedly and pursue the excellence for Double Decker Roofing Panel Cold Forming Machinery, Double Layer Wall Roof Roll Making Machine, Zinc Double Layer Wall Or Roof Panel Corrugation Machine, Our solutions are widely recognized and trusted by users and can meet continuously changing of economic and social needs. We welcome new and old customers from all walks of life to contact us for future business relationships and mutual success! Parameters of steel double layer roll forming machine

Main motor power	4kW, 3-phase or as your requests
Hydraulic motor power	3kW
Hydraulic pressure	10-12MPa
Voltage	380V/3-phase/50Hz (or as your requirements)
Control system	PLC delta inverter
Mainframe	300/350mm H-beam or 350mm
Backboard thickness	16mm
Chain size	1 Inch
Feeding material	color steel coils
Feeding thickness	0.3-0.8mm
Feeding width	1000mm
Effective width	840mm, 850mm
Productivity	0-15/min
Roll station	13 roll steps (according to different design)
Roller diameter	70mm (depends on different design)
Roller material	45# steel
Cutter material	Cr12
Cr-plating size	0.05mm
Overall size	6800*1400*1150mm
Total weight	4.8 tons
	Hydraulic pressure   Voltage   Control system   Mainframe   Backboard thickness   Chain size   Feeding material   Feeding thickness   Feeding width   Effective width   Productivity   Roller diameter   Roller material   Cutter material   Cutter material   Cr-plating size   Overall size

Terms:

- 1. Delivery: within 60 days after receiving the deposit.
- 2. Package: export standard package for container.
- 3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

We are committed to research and develop this industry for more than 20 years, and our productions are widely used in gardens, factories, resorts, hotels, exhibition halls, vacation lands, ancient architectures and modern villas.



Product link : <u>https://www.toprollformingmachine.com/?p=121433</u>