
## Free sample for Deck Floor Machine -Ceiling C Channel Making Machine - Haixing Industrial

Ceiling c channel making machine packaging: The main unit is bare, fixed in the container with wire, the drum is oiled, and packed in plastic film. The control box is equipped with a carton.

| Light steel keel roll forming machine parameters |                       |   |
|--|-----------------------|---|
| 1  | Main motor power      | 4kw/3 phase (or as your request)                |
| 2  | Hydraulic motor power | 3kw   |
| 3  | Hydraulic pressure    | 10~12MPa  |
| 4  | Voltage               | 380V/3 phase/50HZ (or as your request)          |
| 5  | Control System        | PLC Delta /Panasonic/Siemens/                   |
| 6  | Main Frame            | 300/350mm H-Beam                                |
| 7  | Backboard Thickness   | 17/20mm   |
| 8  | Chain size            | 1/2inch   |
| 9  | Feeding material      | color steel coils                               |
| 10   | Feeding thickness     | 0.18~0.8mm                                      |
| 11   | Feeding width         | Better as your profile or from our design       |
| 12   | Effective width       | Better as your profile or from our design       |
| 13   | Productivity          | 0-3min  |
| 14   | Roll station          | 11~20 roll steps(according to different design) |
| 15   | Roller diameter       | 75mm (according to different design)            |
| 16   | Roller material       | 45#steel  |
| 17   | Cutter material       | Cr12  |
| 18   | Cr-Plating size       | 0.05mm  |
| 19   | Overall size          | 5000mm*1000mm*1500mm                            |
| 20   | Total weight          | 2~12T   |

Ceiling c channel making machine picture display



## Packaging Details:

- 1. Machine is covered by plastic film.
- 2. PLC control box, spare parts and other small parts are packed by wooden carton box.

## Terms:

- 1. Delivery: within 60 days after receiving the deposit.
- 2. Package: export standard package for container.
- 3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link: <a href="https://www.toprollformingmachine.com/?p=12401">https://www.toprollformingmachine.com/?p=12401</a>