China New Product Cold Roll Stainless Steel Coil -Glazed roofing tile roll forming machine - Haixing Industrial

The tiles pressed out by the glazed roofing tile roll forming machine are very beautiful, and the technical parameters of the machine are as follows:

	•
Main motor power	4kW, 3-phase or as your requests
Hydraulic motor power	3kW
Hydraulic pressure	10-12MPa
Voltage	380V/3-phase/50Hz (or as your requirements)
Control system	PLC delta inverter
Mainframe	300/350mm H-beam or 350mm
Backboard thickness	16mm
Chain size	1 Inch
Feeding material	color steel coils
Feeding thickness	0.3-0.8mm
Feeding width	1000mm
Effective width	836mm
Productivity	0-15/min
Roll station	13 roll steps (according to different design)
Roller diameter	70mm (depends on different design)
Roller material	45# steel
Cutter material	Cr12
Cr-plating size	0.05mm
Overall size	6800*1400*1150mm
Total weight	4.8 tons
	Hydraulic motor power Hydraulic pressure Voltage Control system Mainframe Backboard thickness Chain size Feeding material Feeding thickness Feeding width Effective width Productivity Roll station Roller diameter Roller material Cutter material Cr-plating size Overall size

Glazed roofing tile roll forming machine components include: Manual un-coiler, Guiding platform, Coil strip leveler, Main machine of roll forming, Electric-motor, Cutting device, Hydraulic station, PLC control and Supporter table.

Machine Details:



Packaging Details:

- 1. Machine is covered by plastic film.
- 2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link: https://www.toprollformingmachine.com/?p=12438