
Short Lead Time for Rolling Shutter Door Machine - Leading Manufacturer for Round Downspout Roll Forming Machine - C Shape Purlin Roll Forming Machine - Haixing Industrial - Haixing Industrial

C Shape Purlin Roll Forming Machine parts: single-end feeding machine, feeding leveling, forming system, straightening mechanism, at single + double holes, after forming shear system, supporting material platform.

Purlin roll forming machine technical parameters		
1	Suitable to process	Steel plate
2	Rollers	12 rows
3	Dimensions	11*1.3*1.5m
4	Power	11.5kw+7.5kw
5	Thickness of the plate	1-3mm
6	Productivity	8-10m/min
7	Middle plate thickness	20mm
8	Driving ways	2.6-inch China wheels and link chain
9	Diameter and material of the forming axis	80mm
10	Weight	About 8.5T
11	Voltage	380V 50HZ3 phase
12	Roll material	GCr15(bearing steel)hard chrome plated after heat treatment
13	Shaft material	40Cr Modulation of heat treatment after polishing hard chromium plating
14	On both sides of the wall material	A3 steel
15	Frame	International H-beam
16	Blade material	Cr12Mov
17	Forming wheel	Bearing steel quenching

Machine picture display



Terms:

1. Delivery: within 60 days after receiving the deposit.

2. Package: export standard package for container.

3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery)

Company profile:

We are committed to research and develop this industry for more than 20 years, and our productions are widely used in gardens, factories, resorts, hotels, exhibition halls, vacation lands, ancient architectures and modern villas.

Product link：https://www.toprollformingmachine.com/?p=12458