Reliable Supplier Roof Tile Machine -Metal Sheet Cut To Length Line Machine - Haixing Industrial

| Cut to length machine technical parameters | | |
|--|----------------------------|--|
| 1 | Material type | Pre-painted steel or aluminum coil, galvanized steel |
| | | coils, GI, PPGI, GL, PPGL |
| 2 | Thickness | 0.3-1.0mm |
| 3 | Width | Max. 1250mm |
| 4 | Yield strength | 235-345Mpa |
| 5 | Slitting width | 80mm-1250mm |
| 6 | Slitter material | Cr12 mould steel |
| 7 | Cutter material | Cr12 mould steel |
| 8 | Quantity of slitting blade | 6 pairs |
| 9 | Working speed | 15 times/min |
| 10 | Type of cutting | length-set cutting |
| 11 | Size of machine | 2500mm*1700mm*1400mm |
| 12 | Control mode | Mitsubishi PLC |
| 13 | Operating mode | Operation buttons + Mitsubishi touching screen |
| 14 | Electric condition | 380V/3phase/50Hz (or according to customers |
| | | requirement) |
| 15 | Main motor power | 4 KW |
| 16 | Hydraulic station power | 2.2 KW |

Metal Sheet Cut To Length Line Machine picture display



Components:

Decoiler: 1set

Guiding device: 1set

Leveling system: 1set

Hydraulic cutting system: 1set

PLC controlling system: 1set

Slitter device: 1set

Outputs table: 2 pieces

Product link : <u>https://www.toprollformingmachine.com/?p=12766</u>