
Trending Products Cz Purlins Manufacture - Hydraulic decoiler with car - Haixing Industrial

This decoiler enables automatic loading. The hydraulic decoiler itself cannot automatically feed, and it can be automatically loaded after the car is loaded.

| Decoiler technical parameters | | |
|-------------------------------|---------------------------|--------------------|
| 1 | Coil inner diameter | 450mm-650mm |
| 2 | Maximum width of coiling | 1250mm |
| 3 | Maximum weight of loading | 10 tons |
| 4 | Hydraulic power | 3kW |
| 5 | Motor power | 3kW |
| 6 | Working speed | 0-15m/minute |
| 7 | Oil pump inner diameter | 120mm |
| 8 | Working press | 10MPa |
| 9 | Voltage | 380V/50Hz, 3 phase |
| 10 | Dimensions | 3110x1650x1780mm |

Features:

1. Types available: hydraulic decoiler.
2. Adapts hydraulic expand/loosen and hydraulic driving system.
3. Easy to operate.
4. Suitable for pre-painted coil, cold-rolled coil and galvanized coil.

Machine picture display



Packaging Details :

1. Machine is covered by plastic film.
2. Spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit
2. Package: export standard package for container
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery)

Product link : <https://www.toprollformingmachine.com/?p=12769>