18 Years Factory T Bar Suspended False Ceiling/t Bar Ceiling Grid

Generally customer-oriented, and it's our ultimate focus on to become not only essentially the most trustworthy, trustable and honest provider, but also the partner for our clients for 18 Years Factory T Bar Suspended False Ceiling/t Bar Ceiling Grid, We are honest and open. We look ahead to the stop by and setting up trustworthy and long-term standing romantic relationship.

Generally customer-oriented, and it's our ultimate focus on to become not only essentially the most trustworthy, trustable and honest provider, but also the partner for our clients for <u>T Bar Suspended Ceiling T Grids</u>, <u>T Bar Suspended Ceiling/t Bar Ceiling Grid</u>, <u>T Bar Suspended False Ceiling T Grid</u>, We're your reliable partner in international markets with the best quality merchandise. Our advantages are innovation, flexibility and reliability which have been built during the last twenty years. We focus on providing service for our clients as a key element in strengthening our long-term relationships. Our continual availability of high grade items in combination with our excellent pre-sales and after-sales service ensures strong competitiveness in an increasingly globalized market.

The cold-formed keel of t grid light steel keel roll forming machine is a kind of frame used to support the shape and fixed structure. The keel is the skeleton and substrate of the home decoration. It is very common to use and can be designed according to the buyer's sample or drawings.


T grid light steel keel roll forming machine parameters		
1	Suitable to process	Color steel plate
2	Width of the plate	As customer need
3	Thickness of the plate	0.5-1.2mm
4	De-coiler	Manual one, can load 3 tons raw material
5	Rollers for forming	18 rows
6	Diameter of the roller	Ф52mm
7	Rolling material	Carbon steel 45#
8	Main motor power	4kW
9	Productivity	8-12m/minute
10	Cutting method	Hydraulic mold cutting
11	Material of the cutting blade	Cr12
12	Hydraulic cutting power	3kW
13	Processing precision	Within 1.00mm
14	Control system	Delta PLC control
15	Side panel of machine	25mm
16	Main structure of the machine	300H steel
17	Weight	About 6.5T
18	Dimensions	5.5*1.0*1.5m
19	Voltage	380V/50Hz/3 phases (changeable as needs)

Components:

Vianual decoiler1 set	
Guiding platform1 set	
Main machine of roll forming1 se	et
Electric motor1 set	
Cutting device1 set	

Hydraulic station1 set
PLC control1 set
Supporter table1 se





Packaging Details:

- 1. Machine is covered by plastic film.
- 2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Sales Service:

- 1. We provide the technical support for whole life of our machines.
- 2. If buyers need the technician to go abroad, we will arrange the technician, but the buyers should take all the cost, including visa, round trip ticket etc.

Product link: https://www.toprollformingmachine.com/?p=128600