

---

## Well-designed Best Double Layer Corrugated And Trapezoidal Roof Roll Forming Machine

Our company promises all buyers of the first-class products and solutions as well as most satisfying post-sale support. We warmly welcome our regular and new shoppers to join us for Well-designed Best Double Layer Corrugated And Trapezoidal Roof Roll Forming Machine, With a fast growth and our consumers arrive from Europe, United States, Africa and all around the entire world. Welcome to go to our factory and welcome your order, for additional inquires please will not be reluctant to get hold of us!

Our company promises all buyers of the first-class products and solutions as well as most satisfying post-sale support. We warmly welcome our regular and new shoppers to join us for [Corrugated And Trapezoidal Roof Tile Machine](#), [Double Layer Roll Forming Machine](#), [Roof Forming Machine](#), We've developed large markets in many countries, such as Europe and the United States, Eastern Europe and Eastern Asia. Meanwhile with the powerful predominance in persons with ability, strict production management and business concept.we constantly carry on self-innovation, technological innovation, managing innovation and business concept innovation. To follow the world markets fashion, new solutions are kept on researching and providing to guarantee our competitive advantage in styles, quality, price and service.

Roof roll forming machine parameters		
1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1200mm
12	Effective width	1160mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Components:

Manual un-coiler: 1 set

Guiding platform: 1 set

Coil strip leveler: 1 set

Main machine of roll forming: 1 set

---

Electric-motor: 1 set

Cutting device: 1 set

Hydraulic station: 1 set

PLC control: 1 set

Supporter table: 1 set

Steel trapezoidal roofing wall tile forming machine details



---

## Machine package and shipment details

Standard export packing: 1\*40 GP container, main machine naked and fastened with iron wire in the container, rollers were painted with oil and packed with plastic film, electric devices be packed with wooden box.

## FAQ

1. Does one machine can only produce one style panel profile?  
Not exactly. For wider and double layer making machine. It can produce more than 6 kinds of panels.

2. Do you have after sales support?  
Yes, we are happy to give advice and we also have skilled technicians available across the world. We need your machines running in order to keep your business running.

We have a variety of machinery and production methods to meet the growing needs of our customers.

Our different types of roll forming are easy to operate and highly efficient for Canada, Korea, Russia, Netherlands, Suriname, Sri Lanka, Malaysia, Vietnam, Nigeria, Tanzania, India, Mongolia, Armenia, Kazakhstan, Vladivostok, Bolivia, Azerbaijan, etc.

Product link : <https://www.toprollformingmachine.com/?p=130875>