
Renewable Design for Metal Roofing Sheet Double Layer Roll Forming Manufacturing Machine

We've got a really efficient group to deal with inquiries from prospects. Our purpose is "100% customer fulfillment by our product excellent, price & our group service" and enjoy a superb track record amid clientele. With many factories, we can easily deliver a wide selection of Renewable Design for Metal Roofing Sheet Double Layer Roll Forming Manufacturing Machine, We have a professional team for international trade. We can solve the problem you meet. We can provide the products you want. Please feel free to contact us.

We've got a really efficient group to deal with inquiries from prospects. Our purpose is "100% customer fulfillment by our product excellent, price & our group service" and enjoy a superb track record amid clientele. With many factories, we can easily deliver a wide selection of [Colored Double Panel Forming Machine](#), [Double Layer Cold Roll Forming Machine](#), [Used Roll Forming Machine](#), For anyone who is keen on any of our goods right after you view our product list, remember to really feel absolutely free to get in touch with us for inquiries. You are able to send us emails and contact us for consultation and we shall respond to you as soon as we can. If it's easy, you may locate out our address in our web-site and come to our business for far more information of our solutions by your self. We are always ready to construct extended and steady co-operation relations with any possible customers in the related fields.

Zinc roofing double layer sheet roll forming machines can press two types of tiles of different versions. Specific version can be customized according to customer requirements.

Parameters of roof tiles making machine


1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	840mm, 850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.

3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

We are committed to research and develop this industry for more than 20 years, and our productions are widely used in gardens, factories, resorts, hotels, exhibition halls, vacation lands, ancient architectures and modern villas.



Q:Are you a manufacturer?

A:Yes absolutely. Welcome a lot for your visiting to us.

Q:What's the delivery time?

Abnormally will take 60 days, for small lines will take 30 days.

Q:Do you have after-sale support?

A:Yes, we're always here for giving you advice and support for technical details since we have senior technician.

Packing and transport details

Packaging details	Standard export packaging: 1 * 40 GP containers.
	Main roll forming machine package by Plastic film
	Main machine spare parts package by paper box
	The electronic equipment is packaged in wooden cases.
Port	TIANJIN PORT
Delivery time	1 - 5 set(s), 25 days
	>5 sets, To be negotiated

We have a professional loading technician to ensure that the goods are loaded into the container without any damage.

Product link : <https://www.toprollformingmachine.com/?p=136114>