

Discountable price Steel Door Roller Shutter Machine - Steel Colored Stone Coated Production Line - Haixing Industrial

Our Steel Colored Stone Coated Production Line meets the diverse requirements of our customers.

The Steel Colored Stone Coated Production Line is described in detail as follows:

NO. 1 Auto bottom glue spraying section

Appearance size	4000*1000*2000mm
Driving section	3KW Excitation motor or frequency speed regulation (AS per customers' requirements)
Automatic pressure spray tank	1set; Capability:200kg; Range:0.6~1Mpa
Automatic glue machine motor	Servo motor; Power:750w; PLC
Automatic spray gun	4 set (spare parts)
Dust collecting fan	1 set; Power: 200w
Damp proof lamp	1 pcs; Power: 100w
Conveying device	Chain reciprocating
Air compressor	1 set; Power: 7.5kw
Dust control of axial flow fan	1 set; Power: 200w
Agitator	1 set; Power: 1.5kw

NO. 2 Auto stone coated section

Appearance size	3500*1000*1500mm
Framework	Steel welding
Conveying device	Chain reciprocating
Automatic sand hopper	1 set; Capability: 200kg
Bucket lift	1 set
Manual sandblast gun	4 sets

NO. 3 The first time drying section

Appearance size	25000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw
Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w


NO. 4 Auto face glue spraying section

Appearance size	3000*1000*2000mm
Framework	Steel welding
Damp proof lamp	1 pcs; Power:100w
Automatic pressure spray tank	1 set; Capability: 200kg; Range: 0.6~1Mpa
Conveying device	Chain reciprocating
Automatic spray gun	4 sets (spare parts)
Manual patch glue gun	4 sets
Dust control of axial flow fan	1 set; Power: 200w
Automatic glue machine motor	Servo motor; Power: 750w

NO. 5 The second time drying section

Appearance size	30000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw
Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w

Machine Photos :



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link : <https://www.toprollformingmachine.com/?p=13706>