
Hot Dipped Galvanized Steel Coil

The products can be customized according to your requirement, including zinc coating, printing color, roll width, etc.

Name	PPGL parameters
Material	SGCC, SGCD, SECD, DX51D, DX52D, G350, G450, G550, SPCG
Standard	JIS, ASTM, GB/T, AISI, DIN
Thickness	0.12mm~1.5mm
Width	100mm-1250mm
Zinc Coating	40-275g/m ²
Color	Grey white, sea blue, red or any RAL standard
Coil ID	508mm/610mm
Coil weight	3-6 tons or as client requirement
Painting	Top: 10~20μm Back: 5~15μm

Pictures of coil

COLOR COATED STEEL COILS



Package Method Of Color Coated Galvalume Steel Coil:

Vertical, Horizontal.

Standard export seaworthy package, with plastic film, paper film, anti-rust paper, steel plate, strapping, paper corner armor, guard board and lock catch.

FAQ

Q:Are you a manufacturer?

A:Yes absolutely. Welcome a lot for your visiting to us.

Q:What's the delivery time?

A: Normally will take 60 days, for small lines will take 30 days.

Q:Do you have after-sale support?

A:Yes, we're always here for giving you advice and support for technical details since we have senior technician.

Product link : <https://www.toprollformingmachine.com/?p=137409>