## Factory making Highway Guardrai Machine -PriceList for Russia Popular Standard Steel Iron Roof Sheet Glazed Tile Roll Forming Corrugating Machine - Haixing Industrial

Our company promises all buyers of the first-class products and solutions as well as most satisfying post-sale support. We warmly welcome our regular and new shoppers to join us for PriceList for Russia Popular Standard Steel Iron Roof Sheet Glazed Tile Roll Forming Corrugating Machine, We've been ready to present you with the lowest value in the current market, best good quality and incredibly nice product sales services. Welcome to do bussines with us, let's be double gain. Our company promises all buyers of the first-class products and solutions as well as most satisfying post-sale support. We warmly welcome our regular and new shoppers to join us for Iron Roofing Sheet Glazed Tile Machine, Roofing Sheet Corrugating Machine, Standard Steel Roof Sheet Glazed Tile Roll Forming Machine, Our staffs are adhering to the "Integrity-based and Interactive Development" spirit, and the tenet of "First-class Quality with Excellent Service". According to the needs of every customer, we offer customized & customized services to help customers achieve their goals successfully. Welcome clients from home and abroad to call and inquire! This roof roll forming machine can press both glazed and trapezoidal tiles.


## Parameters of steel double layer roll forming machine

Main motor power	4kW, 3-phase or as your requests
Hydraulic motor power	3kW
Hydraulic pressure	10-12MPa
Voltage	380V/3-phase/50Hz (or as your requirements)
Control system	PLC delta inverter
Mainframe	300/350mm H-beam or 350mm
Backboard thickness	16mm
Chain size	1 Inch
Feeding material	color steel coils
Feeding thickness	0.3-0.8mm
Feeding width	1000mm
Effective width	840mm, 850mm
Productivity	0-15/min
Roll station	13 roll steps (according to different design)
Roller diameter	70mm (depends on different design)
Roller material	45# steel
Cutter material	Cr12
Cr-plating size	0.05mm
Overall size	6800*1400*1150mm
Total weight	4.8 tons
	Hydraulic motor power Hydraulic pressure Voltage Control system Mainframe Backboard thickness Chain size Feeding material Feeding thickness Feeding width Effective width Productivity Roll station Roller diameter Roller material Cutter material Cr-plating size Overall size

Terms:

- 1. Delivery: within 60 days after receiving the deposit.
- 2. Package: export standard package for container.
- 3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

We are committed to research and develop this industry for more than 20 years, and our productions are widely used in gardens, factories, resorts, hotels, exhibition halls, vacation lands, ancient architectures and modern villas.



Q:Are you a manufacturer?

A:Yes absolutely. Welcome a lot for your visiting to us.

Q:What's the delivery time?

Abnormally will take 60 days, for small lines will take 30 days.

Q:Do you have after-sale support?

A:Yes, we're always here for giving you advice and support for technical details since we have senior technician.

Product link: <a href="https://www.toprollformingmachine.com/?p=140841">https://www.toprollformingmachine.com/?p=140841</a>