## Factory Price For C/Z Purlin Roll Form Machine Chinese wholesale Widely Used Color Steel Metal Roof Ridge Cap Tile Cold Roll Forming Machine/making Machine - Haixing Industrial

go on to boost, to be certain item quality in line with market and buyer standard demands. Our firm has a excellent assurance procedure happen to be established for Chinese wholesale Widely Used Color Steel Metal Roof Ridge Cap Tile Cold Roll Forming Machine/making Machine, Our experienced complex workforce might be wholeheartedly at your support. We sincerely welcome you to definitely stop by our web site and company and mail us your inquiry.

go on to boost, to be certain item quality in line with market and buyer standard demands. Our firm has a excellent assurance procedure happen to be established for <a href="Metal Roof Tile Making Machine">Metal Roof Tile Making Machine</a>, <a href="Roof Tile Machine">Roof Tile Sheet Rolling Forming Machine</a>, The products and solutions has a good reputation with competitive price, unique creation, leading the industry trends. The company insists on the principle of win-win idea, has establishedglobal sales network and after-sales service network.

Roofing ridge cap cold roll forming machine is mainly used to produce the roof panel. The traditional ridges are made of glazed tiles, but have now been replaced by new ridge tiles. The color steel ridge tiles and aluminum-formed ridge tiles that are pressed out of roof ridge making machine are lighter, easier to install and less expensive.


| Machine parameters |                        |   |  |
|--------------------|------------------------|---|--|
| 1                  | Decoiler               | Manual decoiler or hydraulic decoiler             |  |
| 2                  | Raw material thickness | 0.2-0.8mm   |  |
| 3                  | Material               | As your requirements                              |  |
| 4                  | Machine dimensions     | 7000*800*1500mm                                   |  |
| 5                  | Feeding width          | According to your profile                         |  |
| 6                  | Forming station        | 13 to 15 steps                                    |  |
| 7                  | Shaft diameter         | 75mm  |  |
| 8                  | Shaft material         | High-grade 45# steel, heated and quenched         |  |
| 9                  | Roller material        | High-grade 45# steel, coated with 0.05mm chrome   |  |
| 10                 | Forming speed          | 10-15m/minute (adjustable)                        |  |
| 11                 | Transmission type      | Chain transmission                                |  |
| 12                 | Machine frame stand    | Welded structural steel, thickness is 18mm        |  |
| 13                 | Main motor             | 5.5kW from Shanghai, China                        |  |
| 14                 | Cutting type           | Stop hydraulic cutting                            |  |
| 15                 | Cutting power          | 3kW   |  |
| 16                 | Cutter material        | Cr12 with quenched treatment HRC 58-62            |  |
| 17                 | Cutting length error   | ±2mm  |  |
| 18                 | Voltage                | 380V/50Hz and 3 or according to your requirements |  |
| 19                 | Control system         | PLC control system                                |  |
| 20                 | Size of PLC            | 700*1000*300mm                                    |  |
| 21                 | PLC                    | Delta/Siemens                                     |  |

Components of Galvanized Ridge Roofing Sheet/Cap Roll Forming Machine

- 1. Manual Decoiler.....1 set
- 2. Feeding Guide......1 set

| 3. Main Roll Forming Machine | .1   | set |
|------------------------------|------|-----|
| 4. Hydraulic Cutting Device  | .1   | set |
| 5. Hydraulic Station         | .1   | set |
| 6. PLC Computer Control      | .1 : | set |
| 7. Output Table              | .1   | set |
|                              |      |     |

## Machine details:



Package and shipment details:

The machines sold by Haixing Industrial Group Co., Ltd. use standard export packaging, as follows: 1\*40 GP container, main machine naked and fastened with iron wire in the container, rollers were painted with oil and packed with plastic film, electrics devices be packed with wooden box.

We have a variety of machinery and production methods to meet the growing needs of our customers. Our different types of roll forming are easy to operate and highly efficient for Canada, Korea, Pussia, Netherlands, Suriname, Sri Lanka, Malaysia, Vietnam, Nigeria, Tanzania, India, Mongolia, Armenia, Kazakhstan, Vladivostok, Bolivia, Azerbaijan, etc.

Product link: <a href="https://www.toprollformingmachine.com/?p=142244">https://www.toprollformingmachine.com/?p=142244</a>