
## Massive Selection for Steel Door Frame Machine -Aluminum trapezoidal roof making machine - Haixing Industrial

Aluminum trapezoidal roof making machine can uses galvanized steel sheet, colored armor plate or aluminum plate as the material plate.

| Aluminum Trapezoidal Roof Making Machine Parameters |                       |                                               |
|-----------------------------------------------------|-----------------------|-----------------------------------------------|
| 1                                                   | Main motor power      | 4kW, 3-phase or as your requests              |
| 2                                                   | Hydraulic motor power | 3kW                                           |
| 3                                                   | Hydraulic pressure    | 10-12MPa                                      |
| 4                                                   | Voltage               | 380V/3-phase/50Hz (or as your requirements)   |
| 5                                                   | Control system        | PLC delta inverter                            |
| 6                                                   | Mainframe             | 300/350mm H-beam or 350mm                     |
| 7                                                   | Backboard thickness   | 16mm                                          |
| 8                                                   | Chain size            | 1 Inch                                        |
| 9                                                   | Feeding material      | color steel coils                             |
| 10                                                  | Feeding thickness     | 0.3-0.8mm                                     |
| 11                                                  | Feeding width         | 1000mm                                        |
| 12                                                  | Effective width       | 850mm                                         |
| 13                                                  | Productivity          | 0-15/min                                      |
| 14                                                  | Roll station          | 13 roll steps (according to different design) |
| 15                                                  | Roller diameter       | 70mm (depends on different design)            |
| 16                                                  | Roller material       | 45# steel                                     |
| 17                                                  | Cutter material       | Cr12                                          |
| 18                                                  | Cr-plating size       | 0.05mm                                        |
| 19                                                  | Overall size          | 6800*1400*1150mm                              |
| 20                                                  | Total weight          | 4.8 tons                                      |

Detail of machine:



Terms:

- 1. Delivery: within 60 days after receiving the deposit.
- 2. Package: export standard package for container.
- 3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <u>https://www.toprollformingmachine.com/?p=14227</u>