Corrugated Zinc Roofing Sheet Roll Forming Machine

Metal is a durable home roofing material that can increase the resale value and insulation capacity of a home. Compared to asphalt-mixed homes, modern metal roofs in homes can increase the resale value of homes by 1% to 6%.

Parameters of corrugated zinc roofing sheet roll forming machine

1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Components:

Manual un-coiler: 1 set

Guiding platform: 1 set

Coil strip leveler: 1 set

Main machine of roll forming: 1 set

Electric-motor: 1 set

Cutting device: 1 set


Hydraulic station: 1 set

PLC control: 1 set

Supporter table: 1 set

Photos of corrugated zinc roofing sheet roll forming machine:

page 1 / 3



If you have any questions about the model, parameters, etc., please feel free to contact us. We will do our best to answer your questions and look forward to cooperation.

Product link: https://www.toprollformingmachine.com/?p=142400