
Factory Directly supply Stamping Flower Roller Shutter Door Roll Forming Machine

Dedicated to strict top quality command and considerate purchaser support, our experienced staff customers are always available to discuss your necessities and be certain full client gratification for Factory Directly supply Stamping Flower Roller Shutter Door Roll Forming Machine, Top quality and competitive rates make our products and solutions appreciate a higher name all around the world. Dedicated to strict top quality command and considerate purchaser support, our experienced staff customers are always available to discuss your necessities and be certain full client gratification for [Metal Shutter Door Forming Roll Machine](#), [Roller Shutter Door Machine Manufactory](#), [Shutter Door Guide Sheet Stamping Machine](#), To win customers' confidence, we have set up a strong sales and after-sales team to supply the best product and service. we abide by the idea of "Grow with customer" and philosophy of "Customer-oriented" to achieve cooperation of mutual trust and benefit. We will always stand ready to cooperate with you. Let's grow together!

Machine parameters

Roller shutter door roll forming machine		
1	Materials specification	Aluminum, galvalume, galvanized and pre-painted galvanized steel.
2	Thickness	0.5mm to 1.0mm.
3	Main motor power	4.5kw.
4	Hydraulic station power	3kw.
5	Feeding width	Depends on the model of profile.
6	Yield stress	235Mpa(33KSI) ~ 350Mpa
7	Roll forming speed	12-15 m/minute.
8	Cutting tolerance	+/-2.5mm(length ≤ 5000mm); +/-3.0mm(5000mm)
9	Manual uncoiled	Max. Capacity: 3000kgsManual decoiler
10	Coil inner diameter	508mm/610mm
11	Voltage	380v/50hz/3 phase
12	Numbers of stands	12 stands/stations/pairs for each roll forming system
13	Roller material	High grade No.45 forged steel, coated with hard chrome.
14	Active shaft material	High grade No.45 carbon wrought steel, which can improve the integrated mechanic feature of the shaft.
15	Electric elements	PLC control panel, transducer imported from Mitsubishi of Japan.Other elements are from famous suppliers of China.
16	Cutter blades	Cr12 mold steel with quenched treatment.

Machine picture display



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Sales service:

1. We provide the technical support for whole life of our machines.
2. If buyers need the technician to go abroad , we will arrange the technician, but the buyers should take all the cost , including visa, round trip ticket etc.

Product link : <https://www.toprollformingmachine.com/?p=143071>