

---

## ODM Supplier Glazed And Trapezoidal Roofing Tile Profiles Double Layer Roll Forming Machine


We usually continually offer you the most conscientious consumer services, along with the widest variety of designs and styles with finest materials. These initiatives include the availability of customized designs with speed and dispatch for ODM Supplier Glazed And Trapezoidal Roofing Tile Profiles Double Layer Roll Forming Machine, Our experienced complex workforce might be wholeheartedly at your support. We sincerely welcome you to definitely stop by our web site and company and mail us your inquiry.

We usually continually offer you the most conscientious consumer services, along with the widest variety of designs and styles with finest materials. These initiatives include the availability of customized designs with speed and dispatch for [Glazed Roofing Tile Forming Machine](#), [Roofing Tile Profiles Double Layer Roll Forming Machine](#), [Trapezoid Roof Tile Machine](#), Many years of work experience, we now have realized the importance of providing good quality goods and the best before-sales and after-sales services. Most problems between suppliers and clients are due to poor communication. Culturally, suppliers can be reluctant to question issues they do not understand. We break down those people barriers to ensure you get what you want to the level you expect, when you want it. faster delivery time and the product you want is our Criterion .

Aluminum trapezoidal roof making machine can uses galvanized steel sheet, colored armor plate or aluminum plate as the material plate.

Aluminum Trapezoidal Roof Making Machine Parameters		
1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Detail of machine:



---

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=143078>