Metal Arch Roofing Curving Roll Forming Machine

Main parameters of metal arch roofing curving roll forming machine

Name	Metal arch roofing curving roll forming machine
Suitable Material	Colored or galvanized steel coil, HRB60 or equivalent
Material thickness	0.3-0.8 mm
Coil Width Range	914, 1000, 1220 or 1250 mm, or according to your actual drawing.
Mold material	#45 HRC 55-60
Control system	It is controlled by PLC
Speed	10 m/min
Main motor power	1.5 Kw
Electric Power	380V, 50 Hz, 3 phase or according to your need.
Dimension	About 2.6*1.6*1.2m(L*V*H), as per the drawing
Weight	0.8T
Feeding way	Follow the machine feeding, and also need person as an assistant
Cutting	Automatically stop and cutting when it comes to the set length.
Length of the Sheet	You can set the length according to your need; length accuracy: ±1mm.

The advantages of curving roof machine:

1. Our machines can uses galvanized steel sheet, colored armor plate or aluminum plate as the material plate.

2. Controlling by computer, PLC display, operation is easy, running is steady and reliable, endurable, maintenance-free.

3. We can make and designs will kinds of roll forming machine according to customer's request.

Machine photos:





Terms:

1. Delivery: within 60 days after receiving the deposit.

2. Package: export standard package for container.

3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Company profile:

Haixing Industrial Group Co., Ltd. is the biggest and strongest in north China. Our factory is specialized in manufacturing color steel forming machinery, C&Z purlin machine, glazed tile forming machine, steel structural floor panel roll forming machine, sandwich panel roll forming machine, highway guardrail forming machine and other cold roll forming machines.

Product link：https://www.toprollformingmachine.com/?p=145127