
High Quality for 300*300 400*400 500*500 600*600 Floor Tile Machinery/cement Tile Making Machine

With our outstanding management, robust technical capability and strict top quality regulate system, we carry on to supply our shoppers with reputable top quality, reasonable charges and excellent companies. We purpose at becoming amongst your most reliable partners and earning your fulfillment for High Quality for 300*300 400*400 500*500 600*600 Floor Tile Machinery/cement Tile Making Machine, We warmly welcome you to definitely create cooperation and produce a brilliant potential together with us.

With our outstanding management, robust technical capability and strict top quality regulate system, we carry on to supply our shoppers with reputable top quality, reasonable charges and excellent companies. We purpose at becoming amongst your most reliable partners and earning your fulfillment for [Cement Tiles Manufacturing Machines](#), [Concrete Floor Tile Making Machine](#), [Floor Tile Machine](#), We accomplish this by exporting our wigs directly from our own factory for you. The goal of our company is to get customers who enjoy coming back to their business. We sincerely hope to cooperate with you in the near future. If there's any opportunity, welcome to visit our factory!!! Our Steel Colored Stone Coated Production Line meets the diverse requirements of our customers.

The Steel Colored Stone Coated Production Line is described in detail as follows:

NO. 1 Auto bottom glue spraying section

Appearance size	4000*1000*2000mm
Driving section	3KW Excitation motor or frequency speed regulation (AS per customers' requirements)
Automatic pressure spray tank	1set; Capability:200kg; Range:0.6~1Mpa
Automatic glue machine motor	Servo motor; Power:750w; PLC
Automatic spray gun	4 set (spare parts)
Dust collecting fan	1 set; Power: 200w
Damp proof lamp	1 pcs; Power: 100w
Conveying device	Chain reciprocating
Air compressor	1 set; Power: 7.5kw
Dust control of axial flow fan	1 set; Power: 200w
Agitator	1 set; Power: 1.5kw

NO. 2 Auto stone coated section

Appearance size	3500*1000*1500mm
Framework	Steel welding
Conveying device	Chain reciprocating
Automatic sand hopper	1 set; Capability: 200kg
Bucket lift	1 set
Manual sandblast gun	4 sets

NO. 3 The first time drying section

Appearance size	25000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw

Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w

NO. 4 Auto face glue spraying section

Appearance size	3000*1000*2000mm
Framework	Steel welding
Damp proof lamp	1 pcs; Power:100w
Automatic pressure spray tank	1 set; Capability: 200kg; Range: 0.6~1Mpa
Conveying device	Chain reciprocating
Automatic spray gun	4 sets (spare parts)
Manual patch glue gun	4 sets
Dust control of axial flow fan	1 set; Power: 200w
Automatic glue machine motor	Servo motor; Power: 750w

NO. 5 The second time drying section

Appearance size	30000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw
Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w

Machine Photos :



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link : <https://www.toprollformingmachine.com/?p=146380>