
Factory wholesale Roof Wall Panel Double Layer Roll Forming Machine

Our business puts emphasis to the management, the introduction of talented personnel, and the construction of team building, striving hard to improve the standard and liability consciousness of staff members. Our corporation successfully attained IS9001 Certification and European CE Certification of Factory wholesale Roof Wall Panel Double Layer Roll Forming Machine, Welcome any of the inquiries and concerns for our merchandise, we look forward to creating a long-term small business marriage with you in the near long run. get in touch with us today.

Our business puts emphasis to the management, the introduction of talented personnel, and the construction of team building, striving hard to improve the standard and liability consciousness of staff members. Our corporation successfully attained IS9001 Certification and European CE Certification of [Metal Roofing Roll Forming Machine](#), [Used Metal Roof Panel Roll Forming Machine](#), We've got more than 200 staff including experienced managers, creative designers, sophisticated engineers and skilled workers. Through hard work of all employees for the past 20 years own company grew stronger and stronger. We always apply the "client first" principle. We also always fulfill all contracts to the point and therefore enjoy excellent reputation and trust among our customers. You are very welcome to personally visit our company. We hope to start a business partnership on the basis of mutual benefit and successful development . For more information make sure you do no hesitate to contact us..


Parameters of steel double layer roll forming machine

1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	840mm, 850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

We are committed to research and develop this industry for more than 20 years, and our productions are widely used in gardens, factories, resorts, hotels, exhibition halls, vacation lands, ancient architectures and modern villas.



Product link : <https://www.toprollformingmachine.com/?p=146382>