
ODM Manufacturer Trade Assurance Stone Coated Roof Tile Sheet Rolling Forming Machine,Metal Roofing Roll Forming Machine

Sticking to the perception of "Creating products of top of the range and earning mates with people today from all over the world", we constantly put the desire of consumers in the first place for ODM Manufacturer Trade Assurance Stone Coated Roof Tile Sheet Rolling Forming Machine,Metal Roofing Roll Forming Machine, The principle of our company is to provide high-quality products, professional service, and honest communication. Welcome all friends to place trial order for creating a long-term business relationship.

Sticking to the perception of "Creating products of top of the range and earning mates with people today from all over the world", we constantly put the desire of consumers in the first place for [Roofing Sheet Making Machinery](#), [Sheet Making Machinery](#), [Used Metal Sheet Rolling Machine](#), We've been increasingly expanding our international market share based on quality products, excellent service, reasonable price and timely delivery. Make sure you contact us at any time for more information.

Our Steel Colored Stone Coated Production Line meets the diverse requirements of our customers.

The Steel Colored Stone Coated Production Line is described in detail as follows:

NO. 1 Auto bottom glue spraying section

Appearance size	4000*1000*2000mm
Driving section	3KW Excitation motor or frequency speed regulation (AS per customers' requirements)
Automatic pressure spray tank	1set; Capability:200kg; Range:0.6~1Mpa
Automatic glue machine motor	Servo motor; Power:750w; PLC
Automatic spray gun	4 set (spare parts)
Dust collecting fan	1 set; Power: 200w
Damp proof lamp	1 pcs; Power: 100w
Conveying device	Chain reciprocating
Air compressor	1 set; Power: 7.5kw
Dust control of axial flow fan	1 set; Power: 200w
Agitator	1 set; Power: 1.5kw

NO. 2 Auto stone coated section

Appearance size	3500*1000*1500mm
Framework	Steel welding
Conveying device	Chain reciprocating
Automatic sand hopper	1 set; Capability: 200kg
Bucket lift	1 set
Manual sandblast gun	4 sets

NO. 3 The first time drying section

Appearance size	25000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw
Conveying device	Chain reciprocating

Air cooling device	1 set; Power: 200w
--------------------	--------------------

NO. 4 Auto face glue spraying section

Appearance size	3000*1000*2000mm
Framework	Steel welding
Damp proof lamp	1 pcs; Power:100w
Automatic pressure spray tank	1 set; Capability: 200kg; Range: 0.6~1Mpa
Conveying device	Chain reciprocating
Automatic spray gun	4 sets (spare parts)
Manual patch glue gun	4 sets
Dust control of axial flow fan	1 set; Power: 200w
Automatic glue machine motor	Servo motor; Power: 750w

NO. 5 The second time drying section

Appearance size	30000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw
Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w

Machine Photos :



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link : <https://www.toprollformingmachine.com/?p=150332>