
Hot-selling Rebar Bender/wire Bending Machine/automatic Stirrup Bender Gw40 Digital Screen

To be able to give you benefit and enlarge our business, we also have inspectors in QC Team and assure you our greatest service and products for Hot-selling Rebar Bender/wire Bending Machine/automatic Stirrup Bender Gw40 Digital Screen, We just take top quality as the foundation of our accomplishment. Thus, we focus on the manufacture in the most effective high-quality solutions. A strict good quality management system has been created to ensure the caliber of the products and solutions.

To be able to give you benefit and enlarge our business, we also have inspectors in QC Team and assure you our greatest service and products for [Automatic Stirrup Bending Machine](#), [Rebar Bender](#), [Rebar Bending Machine](#), Hard work to keep making progress, innovation in the industry, make every effort to first-class enterprise. We try our best to build the scientific management model, to learn abundant expert knowledge, to develop advanced production equipment and production process , to create the first-call quality merchandise, reasonable price , high quality of service , quick delivery , to present you create new value .

4 meters hydraulic roof sheet bending machine parameters		
1	Cutting &Hydraulic type	Double guide pillar
2	Hydraulic motor power	3kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V/3phase/50 HZ(or as your requirement)
5	Cutting drive	Decelerating motor+ Chain drive gear all by high-frequency
6	Control System	Panasonic PLC
8	Bending degree	0-90
9	Operating mode	Button+ Mitsubishi
10	Main Frame	300mm/350mm H-Beam or 350mm
11	Backboard Thickness	17mm
12	Feeding Material	GI/PPGI/PPGL
14	Feeding Thickness	0.2-0.8mm
15	Feeding Width	1-4m
16	Effective width	1-4mm
17	Productivity	0-60times/min
20	Roller material	45# steel
21	Cutter material	Cr12 mould steel heat-treated hardness of HRC = 60-62 degrees
22	Brand Square	A3 35mm thick plate arch
22	Cr-Plating Size	0.05mm
23	Overall Size	4300*1200*2100mm
24	Total Weight	1.8T

Machine photos



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=154339>