## Wholesale Price China Metal Deck Making Machine -Factory Customized Ryfq-e Speed Roll Slitting Rewinding Machine, Paper Slitting Machine - Haixing Industrial

Our pursuit and corporation intention is to "Always satisfy our client requirements". We continue to develop and style remarkable high-quality items for each our outdated and new shoppers and accomplish a win-win prospect for our customers likewise as us for Factory Customized Ryfq-e Speed Roll Slitting Rewinding Machine, Paper Slitting Machine, We cordially welcome customers from at home and abroad to join us and cooperate with us to enjoy a better future.

Our pursuit and corporation intention is to "Always satisfy our client requirements". We continue to develop and style remarkable high-quality items for each our outdated and new shoppers and accomplish a win-win prospect for our customers likewise as us for <a href="Paper Slitting Machine">Paper Slitting Machine</a>, Slitting <a href="Machine">Machine</a>, Slitting Machine</a>, We adopt advanced production equipment and technology, and perfect testing equipment and methods to ensure our product quality. With our high-level talents, scientific management, excellent teams, and attentive service, our goods are favored by domestic and foreign customers. With your support, we'll build a better tomorrow! Slitting machine line cuts the metal coil into strips of various widths required, and then collects the strip into small rolls for use in the next process.


		Slitting line machine parameters
Raw Material (if the	1	Material: carbon steel and others
material is stainless	2	The thickness of the material: 0.4mm-6mm.
steel, please tell in	3	Width: 10mm, 12mm, 15mm, 20mm, 25mm, 30mm, 40mm, 50mm, 60mm
advance)	4	Input width: 600-1600mm
Hydraulic decoiler	1	The inner size: 450610mm
with car	2	The Max width: 1250mm
	3	The capacity: 15T 20Ton or more
Flatting and Cutting	1	2 shafts for feeding coil, 9 shafts for flatting
System	2	material of flatting: 42CrMo heat treated 50-52.
	3	hydraulic system.
	4	2 sets cutting blade
	5	width of cutting: 600mm1220mm.
	6	the material of blade mould: Gr12MoV
	7	power: 22KW Motor with ZQ650 Reducer
Slitting system	1	The width range: 2001300mm
	2	The precious of the width: ±1mm
	3	The speed of slitting: 25m/min
	4	The width can be change.
	5	Material of the slitting: Cr12MoV.
	6	Hardness of slitting blade: HRC5860.
	7	Slitting: 2~3mm 6 lines.
	8	Quantity of blades: 10 sets.
	9	Width of side scrap: 3-15mm
	10	The precious of side scrap: ±0.5mm
	11	Quantity of side scrap: 2 strips
	12	Power of the slitting: 37KW, 1000r/min, with ZQ750 Reducer.
Control System	1	Screen: 3.2inch button screen
	2	PLC: Delta

Electrical collecting	1	Material inner: 550-650mm
machine with car	2	Max Coil width: 1500mm
	3	Carrying capacity: 5T
	4	Automatic relax or collect
	5	Power: 22KW

## **Working process**

Decoiler ----flatting and cutting----flatting and collecting

## work process



Machine picture display



Packaging Details?
1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.
Product link: https://www.toprollformingmachine.com/?p=154604