
Leading Manufacturer for Curve Steel Bending Machine - Cheap PriceList for Wc67y-40/2000 Hydraulic Metal Plate Bending Machine,Hydraulic Sheet Metal Press Brake - Haixing Industrial

"Control the standard by the details, show the energy by quality". Our corporation has strived to establish a hugely efficient and stable workers team and explored an effective high quality control procedure for Cheap PriceList for Wc67y-40/2000 Hydraulic Metal Plate Bending Machine,Hydraulic Sheet Metal Press Brake, Presently, we are looking forward to even larger cooperation with overseas clients based on mutual benefits. Make sure you come to feel no cost to make contact with us for more information.

"Control the standard by the details, show the energy by quality". Our corporation has strived to establish a hugely efficient and stable workers team and explored an effective high quality control procedure for [Hydraulic Metal Plate Bending Machine](#), [Hydraulic Sheet Metal Press Brake](#), [Small Hydraulic Bend Machine](#), We always insist on the management tenet of "Quality is first, Technology is basis, Honesty and Innovation".We are able to develop new solutions continuously to a higher level to satisfy different needs of customers.

4 meters hydraulic roof sheet bending machine parameters		
1	Cutting &Hydraulic type	Double guide pillar
2	Hydraulic motor power	3kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V/3phase/50 HZ(or as your requirement)
5	Cutting drive	Decelerating motor+ Chain drive gear all by high-frequency
6	Control System	Panasonic PLC
8	Bending degree	0-90
9	Operating mode	Button+ Mitsubishi
10	Main Frame	300mm/350mm H-Beam or 350mm
11	Backboard Thickness	17mm
12	Feeding Material	GI/PPGI/PPGL
14	Feeding Thickness	0.2-0.8mm
15	Feeding Width	1-4m
16	Effective width	1-4mm
17	Productivity	0-60times/min
20	Roller material	45# steel
21	Cutter material	Cr12 mould steel heat-treated hardness of HRC = 60-62 degrees
22	Brand Square	A3 35mm thick plate arch
22	Cr-Plating Size	0.05mm
23	Overall Size	4300*1200*2100mm
24	Total Weight	1.8T

Machine photos



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=156418>