High Quality for Ce Certification 10-12mpa Steel Keel Ceiling Metal T Bar And Gird Roll Forming Machine Manufacture

Our products and solutions are greatly recognized and trustworthy by customers and may fulfill constantly changing financial and social requires for High Quality for Ce Certification 10-12mpa Steel Keel Ceiling Metal T Bar And Gird Roll Forming Machine Manufacture, Sincerely hope to develop long-term company associations along with you and we are going to do our greatest provider for you. Our products and solutions are greatly recognized and trustworthy by customers and may fulfill constantly changing financial and social requires for Ceiling T Bar Roll Forming Machine Manufacture, Ceiling T Gird Roll Forming Machine, Steel Keel Machine T Bar Machine, Our products are widely recognized and trusted by users and can meet continuously changing of economic and social needs. We welcome new and old customers from all walks of life to contact us for future business relationships and mutual success!

The cold-formed keel of t grid light steel keel roll forming machine is a kind of frame used to support the shape and fixed structure. The keel is the skeleton and substrate of the home decoration. It is very common to use and can be designed according to the buyer's sample or drawings.

| T grid light steel keel roll forming machine parameters | | |
|---|-------------------------------|--|
| 1 | Suitable to process | Color steel plate |
| 2 | Width of the plate | As customer need |
| 3 | Thickness of the plate | 0.5-1.2mm |
| 4 | De-coiler | Manual one, can load 3 tons raw material |
| 5 | Rollers for forming | 18 rows |
| 6 | Diameter of the roller | Ф52mm |
| 7 | Rolling material | Carbon steel 45# |
| 8 | Main motor power | 4kW |
| 9 | Productivity | 8-12m/minute |
| 10 | Cutting method | Hydraulic mold cutting |
| 11 | Material of the cutting blade | Cr12 |
| 12 | Hydraulic cutting power | 3kW |
| 13 | Processing precision | Within 1.00mm |
| 14 | Control system | Delta PLC control |
| 15 | Side panel of machine | 25mm |
| 16 | Main structure of the machine | 300H steel |
| 17 | Weight | About 6.5T |
| 18 | Dimensions | 5.5*1.0*1.5m |
| 19 | Voltage | 380V/50Hz/3 phases (changeable as needs) |


Components:

| Manual decoiler1 set |
|-----------------------------------|
| Guiding platform1 set |
| Main machine of roll forming1 set |
| Electric motor1 set |

| Cutting device1 set |
|------------------------|
| Hydraulic station1 set |
| PLC control1 set |
| Supporter table1 set |

Machine picture display





Packaging Details:

- 1. Machine is covered by plastic film.
- 2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

- 1. Delivery: within 60 days after receiving the deposit.
- 2. Package: export standard package for container.
- 3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link: https://www.toprollformingmachine.com/?p=158539