
OEM Customized Galvanized Roller Shutter Door Roll Forming Making Machine Hebei

We usually believe that one's character decides products' top quality, the details decides products' quality, using the REALISTIC, EFFICIENT AND INNOVATIVE workforce spirit for OEM Customized Galvanized Roller Shutter Door Roll Forming Making Machine Hebei, To offer prospects with great equipment and solutions, and frequently develop new machine is our company's business objectives. We glance ahead for your cooperation.

We usually believe that one's character decides products' top quality, the details decides products' quality, using the REALISTIC, EFFICIENT AND INNOVATIVE workforce spirit for [Roller Shutters](#), [Rolling Shutter Slats Roll Forming Machine](#), [Used Roller Shutter Roll Forming Machine](#), They're durable modeling and promoting effectively all over the world. Under no circumstances disappearing major functions in a quick time, it's a must in your case of excellent good quality. Guided by the principle of "Prudence, Efficiency, Union, and Innovation. the company makes a terrific effort to expand its international trade, raise its company profit and raise its export scale. We're confident that we're about to possess a vibrant prospect and to be distributed all over the world within the years to come. Machine parameters

Roller shutter door roll forming machine		
1	Materials specification	Aluminum, galvalume, galvanized and pre-painted galvanized steel.
2	Thickness	0.5mm to 1.0mm.
3	Main motor power	4.5kw.
4	Hydraulic station power	3kw.
5	Feeding width	Depends on the model of profile.
6	Yield stress	235Mpa(33KSI) ~ 350Mpa
7	Roll forming speed	12-15 m/minute.
8	Cutting tolerance	+/-2.5mm(length ≤ 5000mm); +/-3.0mm(5000mm)
9	Manual uncoiled	Max. Capacity: 3000kgsManual decoiler
10	Coil inner diameter	508mm/610mm
11	Voltage	380v/50hz/3 phase
12	Numbers of stands	12 stands/stations/pairs for each roll forming system
13	Roller material	High grade No.45 forged steel, coated with hard chrome.
14	Active shaft material	High grade No.45 carbon wrought steel, which can improve the integrated mechanic feature of the shaft.
15	Electric elements	PLC control panel, transducer imported from Mitsubishi of Japan.Other elements are from famous suppliers of China.
16	Cutter blades	Cr12 mold steel with quenched treatment.

Machine picture display



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Sales service:

1. We provide the technical support for whole life of our machines.
2. If buyers need the technician to go abroad , we will arrange the technician, but the buyers should take all the cost , including visa, round trip ticket etc.

Product link : <https://www.toprollformingmachine.com/?p=161660>