

---

## Best quality Qfw-120 Stone Coated Roof Tile Machine

We now have a expert, performance staff to deliver high quality provider for our customer. We usually follow the tenet of customer-oriented, details-focused for Best quality Qfw-120 Stone Coated Roof Tile Machine, We have been ready to offer you the most beneficial strategies over the designs of your orders in a specialist way if you need. Within the meantime, we preserve on establishing new technologies and creating new designs so as to help make you ahead within the line of this business. We now have a expert, performance staff to deliver high quality provider for our customer. We usually follow the tenet of customer-oriented, details-focused for [Clay Roof Tiles Making Machines](#), [Roof Tile Machine](#), [Roof Tile Making Machine](#), We have a large share in global market. Our company has strong economic strength and offers excellent sale service. We've got established faith, friendly, harmonious business relationship with customers in different countries. , such as Indonesia, Myanmar, Indi and other Southeast Asian countries and European, African and Latin American countries.

Our Steel Colored Stone Coated Production Line meets the diverse requirements of our customers.

The Steel Colored Stone Coated Production Line is described in detail as follows:

### NO. 1 Auto bottom glue spraying section

Appearance size	4000*1000*2000mm
Driving section	3KW Excitation motor or frequency speed regulation (AS per customers' requirements)
Automatic pressure spray tank	1set; Capability:200kg; Range:0.6~1Mpa
Automatic glue machine motor	Servo motor; Power:750w; PLC
Automatic spray gun	4 set (spare parts)
Dust collecting fan	1 set; Power: 200w
Damp proof lamp	1 pcs; Power: 100w
Conveying device	Chain reciprocating
Air compressor	1 set; Power: 7.5kw
Dust control of axial flow fan	1 set; Power: 200w
Agitator	1 set; Power: 1.5kw

### NO. 2 Auto stone coated section

Appearance size	3500*1000*1500mm
Framework	Steel welding
Conveying device	Chain reciprocating
Automatic sand hopper	1 set; Capability: 200kg
Bucket lift	1 set
Manual sandblast gun	4 sets

### NO. 3 The first time drying section

Appearance size	25000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw
Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w

---

NO. 4 Auto face glue spraying section

Appearance size	3000*1000*2000mm
Framework	Steel welding
Damp proof lamp	1 pcs; Power:100w
Automatic pressure spray tank	1 set; Capability: 200kg; Range: 0.6~1Mpa
Conveying device	Chain reciprocating
Automatic spray gun	4 sets (spare parts)
Manual patch glue gun	4 sets
Dust control of axial flow fan	1 set; Power: 200w
Automatic glue machine motor	Servo motor; Power: 750w

NO. 5 The second time drying section

Appearance size	30000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw
Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w

Machine Photos :



---

Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link : <https://www.toprollformingmachine.com/?p=161670>