
Bottom price Machinery Canton Fair 840+850 Double Layer Roofing Roller Machine

We're going to devote ourselves to offering our esteemed shoppers with the most enthusiastically thoughtful expert services for Bottom price Machinery Canton Fair 840+850 Double Layer Roofing Roller Machine, We're going to endeavor to maintain our wonderful standing as the very best products supplier inside the globe. If you have any questions or reviews, make sure you call with us freely.

We're going to devote ourselves to offering our esteemed shoppers with the most enthusiastically thoughtful expert services for [840+850 Double Layer Roofing Roller Machine](#), [Double Layer Roofing Roller Machine](#), [Roll Forming Machines For Sale](#), By integrating manufacturing with foreign trade sectors, we can supply total customer solutions by guaranteeing the delivery of right products and solutions to the right place at the right time, which is supported by our abundant experiences, powerful production capability, consistent quality, diversified product portfolios and the control of the industry trend as well as our mature before and after sales services. We'd like to share our ideas with you and welcome your comments and questions.

Parameters of steel double layer roll forming machine

1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	840mm, 850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

We are committed to research and develop this industry for more than 20 years, and our productions are widely used in gardens, factories, resorts, hotels, exhibition halls, vacation lands, ancient architectures and modern villas.



Product link : <https://www.toprollformingmachine.com/?p=161677>