
Factory For Steel Roof Embossing Glazing Tile Cold Forming Machine/metal Roofing Stamping Glazed Sheets Rolling Forming Machinery

Our personnel are often while in the spirit of "continuous improvement and excellence", and using the exceptional good quality items, favorable rate and great after-sales products and services, we try to get just about every customer's belief for Factory For Steel Roof Embossing Glazing Tile Cold Forming Machine/metal Roofing Stamping Glazed Sheets Rolling Forming Machinery, Being a young escalating company, we might not the most effective, but we're trying our greatest to generally be your fantastic partner.

Our personnel are often while in the spirit of "continuous improvement and excellence", and using the exceptional good quality items, favorable rate and great after-sales products and services, we try to get just about every customer's belief for [Roofing Tile Roll Mill](#), [Steel Roof Embossing Glazing Tile Cold Forming Machine](#), [Zinc Roofing Roll Forming Machine](#), Qualified R&D engineer might be there for your consultation service and we will try our best to meet your requirements. So remember to feel free to contact us for inquiries. You'll be able to send us emails or call us for small business. Also you are able to come to our business by yourself to get further knowing of us. And we will surely supply you with the best quotation and after-sale service. We're ready to build stable and friendly relations with our merchants. To achieve mutual success, we'll make our best efforts to build a solid co-operation and transparent communication work with our companions. Above all, we're here to welcome your inquiries for any of our items and service.

Color steel tile, also known as color pressure tile, is a pressure-coated plate that adopts color-coated steel plate and is cold-rolled into various wave shapes by rolling.

Glazed Roof Sheet parameters		
1	Model	HX28-207-828
2	Effective width	828mm
3	overall width	905mm
4	Raw material width	1000mm
5	Thickness	0.3-0.7mm
6	Wave height	28mm
7	Wave width	208mm
8	Length	3.6 meter,7.2 meter,8.1meter,etc.
9	Color	White, blue, red, green, yellow, orange, etc. as per RAL card color; zinc color, stainless steel color, aluminum color.
10	Tolerance	Thickness tolerance:±0.02mm;Length tolerance: ±2mm
11	Zinc coated	30--275g/sqm, as requested.
12	Face paint	PE; HDP; SMP; PVDF; Two layers; 20-25µm;
13	Back paint	PE grey white color One layer 5-7um

Raw materials

- (1) Hot dipped galvanized steel sheet
- (2)Pre painted galvanized steel sheet
- (3) Galvalume steel sheet


(4) Pre painted galvalume steel sheet

(5) Other metal sheet like aluminum sheet

Advantages

It has many advantages such as easy installation, short construction period, beautiful appearance, light weight but high strength.

Picture display



Other types



Haixing Industrial Group Co., Ltd



Email: info@haixingsteel.com

Wechat: 0086 15522419684

Applications

It can produce a variety of steel roofs and wall panels, is a new type of building materials, products are widely used in factories, warehouses, garages, stadiums, exhibition centers, cinemas, theaters and other roofs and walls.

Product link : <https://www.toprollformingmachine.com/?p=161685>