
Low price for Double Layer Roofing Tile Roll Forming Machine And Decoiler With

Our business puts emphasis over the administration, the introduction of talented staff, plus the construction of employees building, striving hard to boost the standard and liability consciousness of staff members. Our corporation successfully attained IS9001 Certification and European CE Certification of Low price for Double Layer Roofing Tile Roll Forming Machine And Decoiler With, Our organization quickly grew in size and status because of its absolute dedication to top quality manufacturing, higher value of merchandise and excellent customer assistance.

Our business puts emphasis over the administration, the introduction of talented staff, plus the construction of employees building, striving hard to boost the standard and liability consciousness of staff members. Our corporation successfully attained IS9001 Certification and European CE Certification of [Double Layer Roof Roll Forming Machine With](#), [Double Roofing Sheet Machine And Decoiler](#), [Roofing Tile Double Layer Roll Forming Machine](#), With a wide range, good quality, reasonable prices and stylish designs, our items are extensively used in this field and other industries. We welcome new and old customers from all walks of life to contact us for future business relationships and achieving mutual success! We welcome customers, business associations and friends from all parts of the world to contact us and seek cooperation for mutual benefits.

| 5 Ton Hydraulic Galvanized Steel Coil Decoiler technical parameters | | |
|---|---------------------------|--------------------|
| 1 | Coil inner diameter | 450mm-650mm |
| 2 | Maximum width of coiling | 1250mm |
| 3 | Maximum weight of loading | 5 tons |
| 4 | Hydraulic power | 4kW |
| 5 | Motor power | 3kW |
| 6 | Working speed | 0-15m/minute |
| 7 | Oil pump inner diameter | 120mm |
| 8 | Working press | 10MPa |
| 9 | Voltage | 380V/50Hz, 3 phase |
| 10 | Dimensions | 3.0*1.8*1.9m |

We have various kinds of machinery and production method to meet our customers increasing demand; our different types of roll forming are easy to operate.

Machine picture display



Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=161687>