
ODM Manufacturer Aluminum Zinc Stone Coated Roofing Tile Machinery

We always get the job done being a tangible workforce making sure that we can easily give you the very best quality as well as finest selling price for ODM Manufacturer Aluminum Zinc Stone Coated Roofing Tile Machinery, We have been willing to offer you the ideal strategies within the designs of the orders in a specialist way should you need. While in the meantime, we retain on acquiring new technologies and producing new designs so as to produce you ahead from the line of this small business.

We always get the job done being a tangible workforce making sure that we can easily give you the very best quality as well as finest selling price for [Colorful Stone Coated Metal Roofing Tile Machinery](#), [Stone Coated Tiles Metal Roof Sheet Machine](#), To win customers' confidence, Best Source has set up a strong sales and after-sales team to provide the best product and service. Best Source abides by the idea of "Grow with customer" and philosophy of "Customer-oriented" to achieve cooperation of mutual trust and benefit. Best Source will always stand ready to cooperate with you. Let's grow together!

Our Steel Colored Stone Coated Production Line meets the diverse requirements of our customers.

The Steel Colored Stone Coated Production Line is described in detail as follows:

NO. 1 Auto bottom glue spraying section

Appearance size	4000*1000*2000mm
Driving section	3KW Excitation motor or frequency speed regulation (AS per customers' requirements)
Automatic pressure spray tank	1set; Capability:200kg; Range:0.6~1Mpa
Automatic glue machine motor	Servo motor; Power:750w; PLC
Automatic spray gun	4 set (spare parts)
Dust collecting fan	1 set; Power: 200w
Damp proof lamp	1 pcs; Power: 100w
Conveying device	Chain reciprocating
Air compressor	1 set; Power: 7.5kw
Dust control of axial flow fan	1 set; Power: 200w
Agitator	1 set; Power: 1.5kw

NO. 2 Auto stone coated section

Appearance size	3500*1000*1500mm
Framework	Steel welding
Conveying device	Chain reciprocating
Automatic sand hopper	1 set; Capability: 200kg
Bucket lift	1 set
Manual sandblast gun	4 sets

NO. 3 The first time drying section

Appearance size	25000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw

Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w

NO. 4 Auto face glue spraying section

Appearance size	3000*1000*2000mm
Framework	Steel welding
Damp proof lamp	1 pcs; Power:100w
Automatic pressure spray tank	1 set; Capability: 200kg; Range: 0.6~1Mpa
Conveying device	Chain reciprocating
Automatic spray gun	4 sets (spare parts)
Manual patch glue gun	4 sets
Dust control of axial flow fan	1 set; Power: 200w
Automatic glue machine motor	Servo motor; Power: 750w

NO. 5 The second time drying section

Appearance size	30000*1000*1200mm
Framework	Steel welding
Frame type thermal insulation wall	1.2mm cold steel with Rock wool
Automatic temperature controller	4 sets; Range: 0°~160°
Infrared heating tube	30pcs; Power: 30kw
Conveying device	Chain reciprocating
Air cooling device	1 set; Power: 200w

Machine Photos :



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link : <https://www.toprollformingmachine.com/?p=164824>