


Corrugated roll forming metal roof tiles machine south Africa

Corrugated roll forming metal roof tiles machine south Africa parameters

1	Main motor power	4kW, 3 phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/ 3 phase/ 50 Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Main frame	300/350 mm H-beam
7	Backboard thickness	16 mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8 mm
11	Productivity	0-15/ min
12	Roll station	13 roll steps (according to different design)
13	Roller diameter	70 mm (depends on different design)
14	Roller material	45# steel
15	Cutter material	Cr12
16	Cr-plating size	0.05 mm

Easy-broken parts of Corrugated roll forming metal roof tiles machine south Africa



Advantages of our roll forming machines

- 1, Our machine can use galvanized steel, color steel plate or aluminum plate as material board.
- 2, Using computer control, PLC display. Therefore the machine is easy to operate, stable and reliable operation, durable, maintenance-free.
3. We can manufacture and design various roll forming machines according to customer requirements.

Machine packaging and shipping details

Standard export packaging: 1 * 40 GP container.

The main machine is bare and fixed in the container with wire.

The rollers is oiled and packaged in plastic film.

Electronic equipment is packed in wooden cases.

Product link : <https://www.toprollformingmachine.com/?p=165614>