
Excellent quality 28kw Motor 4-12mm Cnc Automatic Steel Wire Bender/iron Rebar/bar Stirrup Bending Machine For Construction

Being supported by an highly developed and specialist IT group, we could supply technical support on pre-sales & after-sales service for Excellent quality 28kw Motor 4-12mm Cnc Automatic Steel Wire Bender/iron Rebar/bar Stirrup Bending Machine For Construction, To acquire a consistent, profitable, and constant advancement by getting a competitive advantage, and by continuously increasing the price added to our shareholders and our employee.

Being supported by an highly developed and specialist IT group, we could supply technical support on pre-sales & after-sales service for [Automatic Rebar Bender](#), [Automatic Steel Wire Bending Machine](#), [Rebar Stirrup Bend Machine](#), We set "be a creditable practitioner to achieve the continuous development and innovation" as our motto. We would like to share our experience with friends at home and abroad, as a way to create a bigger cake with our joint efforts. We've got several experienced R & D persons and we welcome OEM orders.

4 meters hydraulic roof sheet bending machine parameters		
1	Cutting &Hydraulic type	Double guide pillar
2	Hydraulic motor power	3kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V/3phase/50 HZ(or as your requirement)
5	Cutting drive	Decelerating motor+ Chain drive gear all by high-frequency
6	Control System	Panasonic PLC
8	Bending degree	0-90
9	Operating mode	Button+ Mitsubishi
10	Main Frame	300mm/350mm H-Beam or 350mm
11	Backboard Thickness	17mm
12	Feeding Material	GI/PPGI/PPGL
14	Feeding Thickness	0.2-0.8mm
15	Feeding Width	1-4m
16	Effective width	1-4mm
17	Productivity	0-60times/min
20	Roller material	45# steel
21	Cutter material	Cr12 mould steel heat-treated hardness of HRC = 60-62 degrees
22	Brand Square	A3 35mm thick plate arch
22	Cr-Plating Size	0.05mm
23	Overall Size	4300*1200*2100mm
24	Total Weight	1.8T

Machine photos



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=166504>