Factory making Cnc Slitting Line Machine

Our commission would be to serve our customers and clientele with very best excellent and aggressive portable digital products for Factory making Cnc Slitting Line Machine, Our corporation has been devoting that "customer first" and committed to helping shoppers expand their small business, so that they become the Big Boss!


Our commission would be to serve our customers and clientele with very best excellent and aggressive portable digital products for Cnc Slitting, With the intensified strength and more reliable credit, we are here to serve our customers by providing the highest quality and service, and we sincerely appreciate your support. We will endeavor to maintain our great reputation as the best products supplier in the world. If you have any questions or comments, please contact with us freely. Slitting machine line cuts the metal coil into strips of various widths required, and then collects the strip into small rolls for use in the next process.

		Slitting line machine parameters
Raw Material (if the	1	Material: carbon steel and others
material is stainless	2	The thickness of the material: 0.4mm-6mm.
steel, please tell in	3	Width: 10mm, 12mm, 15mm, 20mm, 25mm, 30mm, 40mm, 50mm, 60mm
advance)	4	Input width: 600-1600mm
Hydraulic decoiler	1	The inner size: 450610mm
with car	2	The Max width: 1250mm
	3	The capacity: 15T 20Ton or more
Flatting and Cutting	1	2 shafts for feeding coil, 9 shafts for flatting
System	2	material of flatting: 42CrMo heat treated 50-52.
	3	hydraulic system.
	4	2 sets cutting blade
	5	width of cutting: 600mm1220mm.
	6	the material of blade mould: Gr12MoV
	7	power: 22KW Motor with ZQ650 Reducer
Slitting system	1	The width range: 2001300mm
	2	The precious of the width: ±1mm
	3	The speed of slitting: 25m/min
	4	The width can be change.
	5	Material of the slitting: Cr12MoV.
	6	Hardness of slitting blade: HRC5860.
	7	Slitting: 2~3mm 6 lines.
	8	Quantity of blades: 10 sets.
	9	Width of side scrap: 3-15mm
	10	The precious of side scrap: ±0.5mm
	11	Quantity of side scrap: 2 strips
	12	Power of the slitting: 37KW, 1000r/min, with ZQ750 Reducer.
Control System	1	Screen: 3.2inch button screen
	2	PLC: Delta
Electrical collecting	1	Material inner: 550-650mm
machine with car	2	Max Coil width: 1500mm
	3	Carrying capacity: 5T
	4	Automatic relax or collect
	5	Power: 22KW
Working process		

Working process

Decoiler ----flatting and cutting----flatting and collecting

work process



Machine picture display





Pagkaging Dataile?
Packaging Details?
1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.
2.120 control con, spare parts and other small parts are particle of wooden canon con-
2,120 control con, spare parts and canon simula parts are particle by modern canon con-
2, 120 tollion con, opinio pinio una cunor cinimi pinio uno pinente cy moceni cunion con
Product link: https://www.toprollformingmachine.com/?p=170584