


# Metal Roofing Galvanized Aluminum Corrugated Steel Sheet Making Machine

Metal Roofing Galvanized Aluminum Corrugated Steel Sheet Making Machine parameters:

1	Main motor power	4kW, 3 phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/ 3 phase/ 50 Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Main frame	300/350 mm H-beam
7	Backboard thickness	16 mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8 mm
11	Productivity	0-15/ min
12	Roll station	13 roll steps (according to different design)
13	Roller diameter	70 mm (depends on different design)
14	Roller material	45# steel
15	Cutter material	Cr12
16	Cr-plating size	0.05 mm

Popular drawing of corrugated roof metal sheets:

762 drawing, 850 drawing, 836 drawing, 1032 drawing



Our Advantage:


1. Our machine motor is GERMAN BRAND SEMENS;
2. Our roller spacer is 4 mm thick seamless steel pipe;
3. Our output table can adjust the height according to customer demands;
4. Our PLC control console can look around 360 degrees;

5. All easy-broken pars can be changed within 14 months in free.

Easy-broken parts:



Other relative roof roll forming machine:



Our company other products:





#### Packaging Details:

1. The main machine is covered by the plastic film.
2. PLC control box, spare parts, and other small parts are packed by wooden carton box.



**Sales Service:**

1. We provide the technical support for the whole life of our roof roll forming machines.
2. If buyers need the technician to go abroad, we will arrange the technician, but the buyers should take all the cost, including visa, round trip ticket, etc.

Product link : <https://www.toprollformingmachine.com/?p=172640>