

---

## Supply OEM Dw38cnc X 3a-2sv Cnc Tube Bender

To be the stage of realizing dreams of our employees! To build a happier, extra united and extra professional team! To reach a mutual reward of our shoppers, suppliers, the society and ourselves for Supply OEM Dw38cnc X 3a-2sv Cnc Tube Bender, We are going to make increased attempts to aid domestic and international buyers, and generate the mutual benefit and win-win partnership between us. we are eagerly waiting for your sincerely cooperation.

To be the stage of realizing dreams of our employees! To build a happier, extra united and extra professional team! To reach a mutual reward of our shoppers, suppliers, the society and ourselves for [Metal Bending Machinery](#), [Pipes Bending Machine](#), [Steel Bending Machine](#), Our company has abundant strength and possesses a steady and perfect sales network system. We wish we could establish sound business relationships with all customers from at home and abroad on the basis of mutual benefits.

4 meters hydraulic roof sheet bending machine parameters		
1	Cutting &Hydraulic type	Double guide pillar
2	Hydraulic motor power	3kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V/3phase/50 HZ(or as your requirement)
5	Cutting drive	Decelerating motor+ Chain drive gear all by high-frequency
6	Control System	Panasonic PLC
8	Bending degree	0-90
9	Operating mode	Button+ Mitsubishi
10	Main Frame	300mm/350mm H-Beam or 350mm
11	Backboard Thickness	17mm
12	Feeding Material	GI/PPGI/PPGL
14	Feeding Thickness	0.2-0.8mm
15	Feeding Width	1-4m
16	Effective width	1-4mm
17	Productivity	0-60times/min
20	Roller material	45# steel
21	Cutter material	Cr12 mould steel heat-treated hardness of HRC = 60-62 degrees
22	Brand Square	A3 35mm thick plate arch
22	Cr-Plating Size	0.05mm
23	Overall Size	4300*1200*2100mm
24	Total Weight	1.8T

Machine photos



---

Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=179166>