
100% Original Steel Roof Panel Double Deck Layer Roll Forming Machine

We generally stick to the theory "Quality Very first, Prestige Supreme". We've been fully committed to furnishing our shoppers with competitively priced high quality solutions, prompt delivery and expert services for 100% Original Steel Roof Panel Double Deck Layer Roll Forming Machine, While using the improvement of society and economy, our corporation will retain a tenet of "Focus on trust, high quality the first", moreover, we count on to make a glorious long run with each and every customer. We generally stick to the theory "Quality Very first, Prestige Supreme". We've been fully committed to furnishing our shoppers with competitively priced high quality solutions, prompt delivery and expert services for [Double Deck Roll Forming Machine](#), [Double Deck Roof Panel Roll Foming Machine](#), [Double Layer Roll Forming Machine](#), If any item be of interest to you, be sure to allow us to know. We'll try our best to satisfy your requirements with high quality merchandise, the best prices and prompt delivery. Remember to feel free to contact us at any time. We'll reply you when we receive your inquiries. Please note that samples are available before we start our business. Our company has a professional foreign trade and design team. Various roll forming machines can be made. You only need to contact us.

| Double Layer Metal Tile Making Machine parameters | | |
|---|-----------------------|---|
| 1 | Main motor power | 4kW, 3-phase or as your requests |
| 2 | Hydraulic motor power | 3kW |
| 3 | Hydraulic pressure | 10-12MPa |
| 4 | Voltage | 380V/3-phase/50Hz (or as your requirements) |
| 5 | Control system | PLC delta inverter |
| 6 | Mainframe | 300/350mm H-beam or 350mm |
| 7 | Backboard thickness | 16mm |
| 8 | Chain size | 1 Inch |
| 9 | Feeding material | color steel coils |
| 10 | Feeding thickness | 0.3-0.8mm |
| 11 | Feeding width | 1000mm |
| 12 | Effective width | 840mm, 850mm |
| 13 | Productivity | 0-15/min |
| 14 | Roll station | 13 roll steps (according to different design) |
| 15 | Roller diameter | 70mm (depends on different design) |
| 16 | Roller material | 45# steel |
| 17 | Cutter material | Cr12 |
| 18 | Cr-plating size | 0.05mm |
| 19 | Overall size | 6800*1400*1150mm |
| 20 | Total weight | 4.8 tons |

Machine picture display

Components of Double Layer Metal Tile Making Machine

| No. | Name | Unit | Quantity |
|-----|------------------------|------|----------|
| 1 | Manual decoiler | Set | 1 |
| 2 | Main forming machine | Set | 1 |
| 3 | PLC control system | Set | 1 |
| 4 | Hydraulic pump station | Set | 1 |
| 5 | Post cut | Set | 1 |

| | | | |
|---|----------------|-----|---|
| 6 | Electric motor | Set | 1 |
| 7 | Output table | Set | 1 |



Product link : <https://www.toprollformingmachine.com/?p=182092>