

High Quality Frequency Carbon Steel Pipe Slitting Line Or Slitting Machine

Gaining client pleasure is our company's aim without end. We are going to make excellent efforts to create new and top-quality goods, meet your special requirements and provide you with pre-sale, on-sale and after-sale companies for High Quality Frequency Carbon Steel Pipe Slitting Line Or Slitting Machine, We are generally looking ahead to forming effective business associations with new clientele around the world.

Gaining client pleasure is our company's aim without end. We are going to make excellent efforts to create new and top-quality goods, meet your special requirements and provide you with pre-sale, on-sale and after-sale companies for [Cold Rolled Section Steel Slitting Equipment](#), [Welded Pipe Slitting Line](#), [Welded Pipe Slitting Machine](#), Our faith is to be honest first, so we just supply high quality products to our customers. Actually hope that we can be business partners. We believe that we can establish long time business relationship with each other. You can contact us freely for more information and pricelist of our items ! You will probably be Unique with our hair merchandise !!


Slitting machine line cuts the metal coil into strips of various widths required, and then collects the strip into small rolls for use in the next process.

Slitting line machine parameters		
Raw Material (if the material is stainless steel, please tell in advance)	1	Material: carbon steel and others
	2	The thickness of the material: 0.4mm-6mm.
	3	Width: 10mm, 12mm, 15mm, 20mm, 25mm, 30mm, 40mm, 50mm, 60mm
	4	Input width: 600-1600mm
Hydraulic decoiler with car	1	The inner size: 450--610mm
	2	The Max width: 1250mm
	3	The capacity: 15T 20Ton or more
Flatting and Cutting System	1	2 shafts for feeding coil, 9 shafts for flatting
	2	material of flatting: 42CrMo heat treated 50-52.
	3	hydraulic system.
	4	2 sets cutting blade
	5	width of cutting: 600mm--1220mm.
	6	the material of blade mould: Gr12MoV
	7	power: 22KW Motor with ZQ650 Reducer
Slitting system	1	The width range: 200--1300mm
	2	The precious of the width: ± 1 mm
	3	The speed of slitting: 25m/min
	4	The width can be change.
	5	Material of the slitting: Cr12MoV.
	6	Hardness of slitting blade: HRC5860.
	7	Slitting: 2~3mm 6 lines.
	8	Quantity of blades: 10 sets.
	9	Width of side scrap: 3-15mm
	10	The precious of side scrap: ± 0.5 mm
	11	Quantity of side scrap: 2 strips
	12	Power of the slitting: 37KW, 1000r/min, with ZQ750 Reducer.
Control System	1	Screen: 3.2inch button screen
	2	PLC: Delta
Electrical collecting machine with car	1	Material inner: 550-650mm
	2	Max Coil width: 1500mm

	3	Carrying capacity: 5T
	4	Automatic relax or collect
	5	Power: 22KW

Working process

Decoiler ----flatting and cutting---slitting-----flatting and collecting



Machine picture display



Packaging Details?

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link : <https://www.toprollformingmachine.com/?p=182096>