
Quoted price for European Style Double Layer Color Steel Roof Roll Forming Machine

Our target should be to consolidate and enhance the top quality and service of current goods, in the meantime frequently create new products to satisfy diverse customers' calls for for Quoted price for European Style Double Layer Color Steel Roof Roll Forming Machine, Welcome to contact us if you are interested in our product, we will give you a surprise for Quality and Price.

Our target should be to consolidate and enhance the top quality and service of current goods, in the meantime frequently create new products to satisfy diverse customers' calls for for [Color Steel Roof Roll Forming Machine](#), [Double Layer Roll Forming Machine](#), [European Style Double Layer Machine](#), We also have good cooperation relationships with many good manufacturers so that we can provide almost all of auto parts and after-sales service with high quality standard, lower price level and warmly service to meet demands of customers from different fields and different area.

Corrugated trapezoidal double layer roof forming machine parameters

1	Main motor power	4kW/5.5KW/7.5KW
2	Hydraulic motor power	3kW/4kw
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC control system
6	Mainframe	350/400 H-beam
7	Backboard thickness	16mm/18mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	840mm, 850mm, or as profile
13	Productivity	0-30m/min (motor drive can arrived 25m/min to 30m/min)
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Components of Corrugated trapezoidal double layer roof forming machine:

Manual uncoiler: 1 set

Guiding platform: 1 set

Coil leveler: 1 set

Roll forming parts: 2 sets

Electric-motor: 1 set

Cutting device: 2 sets

Hydraulic station: 1 set

PLC control: 1 set

Output Supporter table: 1 set

Details of double layer roof forming machine



Packing & delivery photos



FAQ:

Q:How is this machine's service life?

A:In the normal maintenance, the service life at least 8 years.

Q:Can you be responsible for transport?

A:Yes, please tell me the destination port or address. We have rich experience in transport.

Q:can you make the machine according to my design or prototype?

A: Yes. We have an experienced team for working out the most suitable design and production plan for the machine that you are going to book with us.

Product link : <https://www.toprollformingmachine.com/?p=184937>