
Supply ODM Australia Steel Roller Shutter Door Making Roll Forming Machine

As for aggressive costs, we believe that you will be searching far and wide for anything that can beat us. We can state with absolute certainty that for such high-quality at such rates we have been the lowest around for Supply ODM Australia Steel Roller Shutter Door Making Roll Forming Machine, For further info, you should usually do not hesitate to call us. All inquiries from you might be extremely appreciated.

As for aggressive costs, we believe that you will be searching far and wide for anything that can beat us. We can state with absolute certainty that for such high-quality at such rates we have been the lowest around for [Door Frame Roll Forming Machine](#), [Roller Shutter Machine](#), [Steel Roller Shutter Door Making Machine](#), Welcome to visit our company, factory and our showroom where displays various goods that will meet your expectation. Meanwhile, it is convenient to visit our website, and our sales staff will try their best to supply you the best service. Be sure to contact us if you will need more information. Our aim is to help customers realize their goals. We've been making great efforts to achieve this win-win situation.

Machine parameters

Roller shutter door roll forming machine		
1	Materials specification	Aluminum, galvalume, galvanized and pre-painted galvanized steel.
2	Thickness	0.5mm to 1.0mm.
3	Main motor power	4.5kw.
4	Hydraulic station power	3kw.
5	Feeding width	Depends on the model of profile.
6	Yield stress	235Mpa(33KSI) ~ 350Mpa
7	Roll forming speed	12-15 m/minute.
8	Cutting tolerance	+/-2.5mm(length ≤ 5000mm); +/-3.0mm(5000mm)
9	Manual uncoiled	Max. Capacity: 3000kgsManual decoiler
10	Coil inner diameter	508mm/610mm
11	Voltage	380v/50hz/3 phase
12	Numbers of stands	12 stands/stations/pairs for each roll forming system
13	Roller material	High grade No.45 forged steel, coated with hard chrome.
14	Active shaft material	High grade No.45 carbon wrought steel, which can improve the integrated mechanic feature of the shaft.
15	Electric elements	PLC control panel, transducer imported from Mitsubishi of Japan.Other elements are from famous suppliers of China.
16	Cutter blades	Cr12 mold steel with quenched treatment.

Machine picture display



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Sales service:

1. We provide the technical support for whole life of our machines.
2. If buyers need the technician to go abroad , we will arrange the technician, but the buyers should take all the cost , including visa, round trip ticket etc.

Product link : <https://www.toprollformingmachine.com/?p=186010>