

---

## High Quality Lower 100ton 2500mm Cnc Stainless Steel Bending Machine/cnc Press Brake Machine

Our company sticks into the basic principle of "Quality is definitely the life of the business, and status may be the soul of it" for High Quality Lower 100ton 2500mm Cnc Stainless Steel Bending Machine/cnc Press Brake Machine, We sincerely welcome overseas consumers to refer to for the long-term cooperation plus the mutual progress.

Our company sticks into the basic principle of "Quality is definitely the life of the business, and status may be the soul of it" for [Cnc Press Brake](#), [Press Brake Machine](#), [Sheet Metal Bending Machine](#), [Stainless Steel Bending Machine](#), In order to meet the increasing requirement of customers both home and aboard, we are going to keep carrying forward the enterprise spirit of "Quality, Creativity, Efficiency and Credit" and strive to top the current trend and lead fashion. We warmly welcome you to visit our company and make cooperation.

4 meters hydraulic roof sheet bending machine parameters		
1	Cutting &Hydraulic type	Double guide pillar
2	Hydraulic motor power	3kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V/3phase/50 HZ(or as your requirement)
5	Cutting drive	Decelerating motor+ Chain drive gear all by high-frequency
6	Control System	Panasonic PLC
8	Bending degree	0-90
9	Operating mode	Button+ Mitsubishi
10	Main Frame	300mm/350mm H-Beam or 350mm
11	Backboard Thickness	17mm
12	Feeding Material	GI/PPGI/PPGL
14	Feeding Thickness	0.2-0.8mm
15	Feeding Width	1-4m
16	Effective width	1-4mm
17	Productivity	0-60times/min
20	Roller material	45# steel
21	Cutter material	Cr12 mould steel heat-treated hardness of HRC = 60-62 degrees
22	Brand Square	A3 35mm thick plate arch
22	Cr-Plating Size	0.05mm
23	Overall Size	4300*1200*2100mm
24	Total Weight	1.8T

Machine photos



---

Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=187063>