
Super Purchasing for Metal sheet Bending Machine

Persisting in "High high quality, Prompt Delivery, Aggressive Price", we've established long-term cooperation with clients from the two overseas and domestically and get new and old clients' superior comments for Super Purchasing for Metal sheet Bending Machine, We focus on for making great high quality products to offer services for our consumers to establish long-term win-win romance.

Persisting in "High high quality, Prompt Delivery, Aggressive Price", we've established long-term cooperation with clients from the two overseas and domestically and get new and old clients' superior comments for [Bending Machine](#), [sheet Bending Machine](#) [steel sheet Making Machine](#), With top quality solutions, great after-sales service and warranty policy, we win trust from many overseas partner, many good feedbacks witnessed our factory's growth. With full confidence and strength, welcome customers to contact and visit us for future relationship.

4 meters hydraulic roof sheet bending machine parameters		
1	Cutting &Hydraulic type	Double guide pillar
2	Hydraulic motor power	3kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V/3phase/50 HZ(or as your requirement)
5	Cutting drive	Decelerating motor+ Chain drive gear all by high-frequency
6	Control System	Panasonic PLC
8	Bending degree	0-90
9	Operating mode	Button+ Mitsubishi
10	Main Frame	300mm/350mm H-Beam or 350mm
11	Backboard Thickness	17mm
12	Feeding Material	GI/PPGI/PPGL
14	Feeding Thickness	0.2-0.8mm
15	Feeding Width	1-4m
16	Effective width	1-4mm
17	Productivity	0-60times/min
20	Roller material	45# steel
21	Cutter material	Cr12 mould steel heat-treated hardness of HRC = 60-62 degrees
22	Brand Square	A3 35mm thick plate arch
22	Cr-Plating Size	0.05mm
23	Overall Size	4300*1200*2100mm
24	Total Weight	1.8T

Machine photos



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=189140>