


## asa plastic material pvc synthetic roof tile


asa plastic material pvc synthetic roof tile Technical parameters:		
1	Type	880mm,1050mm
2	Overall Width	880mm,1050mm
3	Effcient width	800mm,960mm
4	Wave Spacing	160mm
5	Wave Height	30mm
6	Purlin distance	750mm
7	Number of Layers	Double Layers, Four Layers
8	Thickness	2.0, 2.5, 3.0mm (±0.1mm)
9	Length	6m or less than 6m, can be customized but should be multiple of 250mm or 220mm (wave pitch)
10	Materials	Synthetic resin (ASA+PVC)
11	Color	Red, Blue, Grey, Green, Orange, White or Customized.
12	Applications	House, villa, mobile house, garden, farm, tourist areas, shopping malls, residential areas, etc.
13	Features	10 Years No Color Fading & Long Lifespan Excellent Corrosion Resistance Excellent Anti-UV Performance Excellent impact resistance Sound and Heat Insulation, Non Flammable Waterproof & Self Cleaning Light Weight & Easy Installation More durable in extreme weather
14	Our Advantages	OEM Free Roof Tile sample Complete choice of shape & color Providing Production Report of the roof tiles Competitive shipment service Complete after-sales service

asa plastic material pvc synthetic roof tile photos





More PVC products:



## Our Services

- Free sample
- Short delivery time after deposit 2-3 weeks
- Good Quality + Manufacturer competitive price + Quick Response + Reliable Service for you
- We have 20 years experience in this field, our customers are from all over the world

## Our Qualifications

- ISO9001 certified company;
- Alibaba Assessed Gold Supplier.
- Inspected by the Inspection Institution of Bureau Veritas Certification.
- 100% QC inspection Before Shipping.

Product link : <https://www.toprollformingmachine.com/?p=269061>