
synthetic resin roof tile

Synthetic resin tile is made of high weathering engineering resin ASA. ASA is a terpolymer composed of Acrylonitrile, Styrene, and Acrylate.

Synthetic resin roof tile Parameters

Width	1050 mm		
Effectic width	960 mm		
Length	Customized		
Color	Red,Grey, blue, green or as customized		
Thickness	2.3 mm 3.0mm		
Weight	2.3 mm/4 .38kg/sqm		
	2.5 mm/4.76kg/sqm		
	3 mm/5.9kg/sqm		
Features	1. Corrosion resistance		
	2. Sound insulation 3. Acid and alkali and organic solvents 4. Good resistance to impact and low temperature		
	5. Flame retardant		
	6. Easy to install, maintenance , and clean 7. Environmental and healthy		
Application	sheds, farm markets, road hoardin! ,lat to sloping roof conversion		
villas qardening ,pavillions and other fields ,Eto,			ther fields ,Etc
Packing list	Thickness	SQM/20"FCL(26TONS)	SQM/40"FCL(26TONS)
	2.3 mm	5800 SQMS	5800 SQMS
	2.5 mm	5400 SQMS	5400 SQMS
	3.0 mm	4500 SQMS	4500 SQMS

Popular PVC roof sheet



Synthetic resin roof tile Advantage

1.save cost

2.Loading bearing: It can load 150 kg per square meter evenly

3.Lightweight: 5-6.0kg/square meter

4. Water resistance: 100%

5. Fire resistance: Self-extinguish off the fire

6.Anti-corrosion

7.Impact resistance and low-temperature resistance

8. Sound and heat insulation

9.Small Thermal expansivity

10.Environmental protection and energy conservation

11.Easy to install

All products of our company and their applications

A. Roll forming machinery: which could produce metallic roofing tile, trapezoidal or sinusoidal roofing sheet, floor deck, C and Z purlin, expressway guardrail, channel and stud, roller shutter and sandwich panel, etc. Customized profiles and requirements are acceptable, and assistant equipment such as hydraulic decoiler, auto stacker, etc.

B. Steel structure Building: Complete service including design, fabrication, delivery and installation supervision for PEB industry, such as the warehouse, workshop, shopping mall, highrise building, etc.

C. Related products: Metal material for PEB building and other related equipment, like H-beam process machinery, slitting/CTL machine, etc.

Product link: https://www.toprollformingmachine.com/?p=287202