Decking Floor Metal Roll Forming Machine

This machine used to make Floor deck plate, usually, we used to construction for floorboards, rolled into the floorboards after its V-shaped cross-section into categories U type, a ladder or a combination of several shapes, mainly used to make permanent from work composite slab or concrete slab.

The main technical parameters of decking floor metal roll forming machine

Forming machine guide feeding frame form Forming machine form Forming machine form Shaft diameter Chain size Chain size 1.5 inches (Brand "Zhenghe" Imported Japan sprocket) Roll forming machine motor power Roll forming speed Rollers number Rolling material Hard chrome plating on the roll surface Hydraulic pump motor Hydraulic station Side roller type side roller type 18mm Side roller type 195 mm 295 mm 2-15KW (Brand Siemens) 8-12m/min 27Rows Rolling material high grade 45# forging steel with chromium plate 0.03mm 4KW (Lichao, Shanghai) motor	Main Frame		welded with 450H steel		
guide feeding frame form Forming machine form Shaft diameter Chain size Roll forming machine motor power Roll forming speed Rollers number Rolling material Hard chrome plating on the roll surface Hydraulic pump motor		Middle plate		18mm	
frame form Forming machine form Shaft diameter Chain size Roll forming machine motor power Rollers number Rolling material Hard chrome plating on the roll surface Hydraulic pump motor Forming machine wall plate chain drive Wall plate drive drive drive Wall plate drive drive drive Wall plate drive drive dr	_	side roller type			
Forming machine form Shaft diameter Chain size 1.5 inches (Brand "Zhenghe" Imported Japan sprocket) Roll forming machine motor power Roll forming speed Rollers number Rollers number Rolling material Hard chrome plating on the roll surface Hydraulic pump motor A seall plate chain drive By mm By mm					
form Shaft diameter □ 95 mm Chain size 1.5 inches (Brand "Zhenghe" Imported Japan sprocket) Roll forming machine motor power 2-15KW (Brand Siemens) Roll forming speed 8-12m/min Rollers number 27Rows Rolling material high grade 45# forging steel with chromium plate Hard chrome plating on the roll surface 0.03mm Hydraulic pump motor 4KW (Lichao, Shanghai)					
Shaft diameter		wall plate chain drive			
Chain size Roll forming machine motor power Roll forming speed Rollers number Rolling material Hard chrome plating on the roll surface Hydraulic pump motor 1.5 inches (Brand "Zhenghe" Imported Japan sprocket) 2-15KW (Brand Siemens) 8-12m/min 27Rows Rolling material high grade 45# forging steel with chromium plate 0.03mm 4KW (Lichao, Shanghai)					
Roll forming machine motor power Roll forming speed 8-12m/min Rollers number 27Rows Rolling material high grade 45# forging steel with chromium plate Hard chrome plating on the roll surface Hydraulic pump 4KW (Lichao, Shanghai) motor					
machine motor power Roll forming speed Rollers number Rolling material Hard chrome plating on the roll surface Hydraulic pump motor Rolling material AkW (Lichao, Shanghai) Machine motor 8-12m/min 27Rows 0.03mm 0.03mm 0.03mm					
power Roll forming speed 8-12m/min Rollers number 27Rows Rolling material high grade 45# forging steel with chromium plate Hard chrome 0.03mm plating on the roll surface Hydraulic pump 4KW (Lichao, Shanghai) motor		2-15KW (Brand Siemens)			
Roll forming speed 8-12m/min Rollers number 27Rows Rolling material high grade 45# forging steel with chromium plate Hard chrome 0.03mm plating on the roll surface Hydraulic pump 4KW (Lichao, Shanghai) motor	machine motor				
Rollers number 27Rows Rolling material high grade 45# forging steel with chromium plate Hard chrome 0.03mm plating on the roll surface Hydraulic pump 4KW (Lichao, Shanghai) motor					
Rolling material high grade 45# forging steel with chromium plate Hard chrome 0.03mm plating on the roll surface Hydraulic pump 4KW (Lichao, Shanghai) motor					
Hard chrome plating on the roll surface Hydraulic pump motor 0.03mm 0.03mm 0.03mm 0.03mm 0.03mm 0.03mm					
plating on the roll surface Hydraulic pump motor 4KW (Lichao, Shanghai)					
Surface Hydraulic pump 4KW (Lichao, Shanghai) motor		0.03mm			
Hydraulic pump 4KW (Lichao, Shanghai) motor	1.				
motor					
	Hydraulic pump	4KW (Lichao,	, Shanghai)		
Hydraulic station					
Tryuraune station Bear pullip	Hydraulic station	gear pump			
oil pump					
		connecting rod three-knife hydraulic cutting			
The material of Cr12		Cr1	12		
the cutting blade					
Cutting blade heat quenched treatment 58°C-62°C		quenched treatn	nent 58°C-62°C		
treatment					
Rolling raw 0.7-1.2mm		0.7-1.7	2mm		
materials					
thickness					
Length Tolerance ± 2mm					
Electric control inverter (anchuan), PLC (Panasonic), encoder (OMRON), Other					
box configuration electrical components are "Schneider" brand			are "Schneider" brand		

decking floor metal roll forming machine details



Application of decking floor tiles

Floor decking board products are widely used in power plants, power equipment companies, automobile exhibition halls, steel structure workshops, cement warehouses, steel structure offices, airport terminals, railway stations, stadiums, concert halls, grand theaters, large supermarkets, logistics centers, steel structures such as Olympic venues and stadiums.

Decking floor metal roll forming machine Packaging & Shipping

- 1. 40 feet container;
- 2.PVC film package;
- 3. according to customer requirement.



Our Services

- a. 18 months warranty period, we will offer technical support for the whole life.
- b. Engineer available to install machine and train your workers overseas.
- c. 24hours open for you, any need and questions, we will reply to you as soon as possible.

Product link: https://www.toprollformingmachine.com/?p=307881